Index for Volume 83

AUTHOR AND SUBJECT INDEX. Pages indicating errata are in italic. "A" indicates abstract.

Abad, Z. G., 1338A, 1398A
Abawi, G. S., 248A, 1394A
Abbas, H. K., 1354A, 1379A, 1385A, 1416A
Abdennadher, M., 1416A
Abney, T. S., 467A
Abou Haider, M. G., 1309
Abouzid, A. M., 1372A, 1425A
Abraham, V., 241A
Abstracts
—annual meeting, 1333A
—North Central Division, 883A
—Northeastern Division, 241A
—Pacific Division, 690A
—Potomac Division, 695A
—Southern Division, 464A
Abutilon theophrasti, anthracnose, biocontrol, 1229
Acosta-Leal, R., 690A
Actinoplanes spp., fingerprinting and chemotaxonomic analysis, 1384A
Adamowicz, A., 247A, 941
Adaskaveg, J. E., 690A, 1354A
Adipala, E., 217
Adkins, S. T., 1425A
Adorada, D. L., 1333A
Afek, U., 753
Agaricus bisporus
—La France disease, viral complex, 696A
—pseudomonad association, exopolysaccharides, 1405A
Agostini, J. P., 485
Agrobacterium spp.
—copper resistance, 1449
—differential characterization, carbon utilization pattern and fatty acid, 733
—Ti plasmid, conjugative transfer of T-DNA, 1360A
Agromonium sp., in *Festuca* and *Lolium* seeds, endophytes, 1379A
Aharoni, Y., 1354A
Ahlquist, P., 181, 709
Ahlstrand, G. G., 1381A
Ahn, K.-K., 1402A
Aigbokhan, E. I., 1363A, 1401A
Aist, J. R., 1380A
Alabi, M. O., 1401A
Albouy, J., 818
Aldwinckle, H. S., 1155, 1395A
Alexander, S. A., 1412A
Alfalfa
—*Aphanomyces* and *Phytophthora* incidence, in Kentucky, 1369A
—cold tolerance, laboratory method, 243A
—crown gall, incidence in California, 692A
—fungicide seed treatment, seed coating, 1385A
—leaf disease, growth relations, 1358A
—nematodes of, comparative pathology, 692A
—phytoalexin, medicarpin, 1383A
—Pythium seedling disease, selection, 1368A
—*Sclerotinia trifoliorum*, resistance, 1396A
—*Stemphyllium* spp. pathogenic to, karyotypes, 883A
—Verticillium wilt: pathogen × light interaction, 1394A; resistance, anatomical response, 80
Allelopathy, leaf compost for reduction, 1426A
Allen, C., 1359A, 1404A
Al-Matrushi, A. O. M., 1351A
Almond
—mycoplasmalike organisms in rootstocks, 1376A
—Verticillium wilt, in California, 693A
Alnus glutinosa, mycoplasmalike organisms of, genetic relatedness in Europe and North America, 971
Al-Omir, M. E., 1335A
Alternaria spp.: on crucifers, nuclear rDNA sequence, 1370A; on leafy spurge, infection without dew, 953
—*A. alternantherae*, on cockscomb, leaf spot, 1338A
—*A. alternata*: on chile pepper, fruit rot, 324; on tangerine, host-specific toxins, 495
—*A. cassiae*, spores, sicklepod control, 1366A
—*A. macrospora*: on cotton, leaf spot suppression, age effect, 1235; on spurred anoda, in soybean field, analysis, 469A
—*A. mali*: on apple, overwintering, 1409A; on apples, sample size and factors, 465A
—*A. panax*, on ginseng, biocontrol with bacteria, 1407A
—*A. solani*: genetic variation, temporal and spatial, 1413A; on tomato, spray program, 1396A
Altier, N. A., 1368A
Altman, N., 716
Alvarez, A. M., 1341A, 1405A
Alvarez, I. F., 1352A
Amaranthus spp., black stem, resistance in Mexico, 1393A
American Phytopathological Society
—abstracts (see Abstracts)
—annual report, 8
—awards and fellows lists, 61
—Ciba-Geigy award, 58
—Distinguished Service award, 60
—extension award, 56
—fellows, 44
—Lee M. Hutchins award, 57
—officers, representatives, and committees, 41
—plenary session, 35, 38
—presidential address, 33
—Ruth Allen award, 59
—teaching award, 55
Ammar, E. D., 1374A
Ammon, V. D., 1412A
Amorim, L., 928, 933
Anand, S. C., 1396A
Anas, O., 247A
Anderson, E. J., 1362A, 1402A, 1403A
Anderson, N. A., 1344A, 1391A, 1404A, 1407A, 1415A, 1420A, 1421A
Andre, C., 1406A
Andrivon, D., 889
Angwin, P. A., 1411A
Aphanomyces spp.
—*A. cochlioides*: green oat crop for control, 1419A; on sugar beet, germination and damping-off factors, 202; on sugar beet, rhizomania relation, 1220
—*A. euteiches*: on pea, biocontrol, 1466; on pea, crop residue and green manure effects, 1419A
Aphelenchoides ritzemabosi, on pinto bean, symptoms, 1388A
Aphids
—barley yellow dwarf virus vector, 716, 1293
—luteovirus acquisition by, receptor-mediated endocytosis, 270
Appel, D. N., 1353A, 1365A, 1411A
Apple (see also *Malus* spp.)
—Alternaria blotch: disease intensity, 1359A; outbreak, model for, 1390A; variables and spatial pattern, 1391A
—fire blight: bee dispersal of pathogen, 478; spray schedules in Alabama, 1396A
—microsomal membrane proteins, polyacrylamide gel electrophoresis, 1416A
—Phytophthora root and crown rot, rootstock resistance, 744
—replant disease, host-specific organisms, 242A
—scab, pathogenesis on shoot-tip culture, 1155
—scab resistance, Vf gene for resistance, 533
—wound microflora, biocontrol, 1417A
Apple chlorotic leafspot virus, detection with PCR, 1402A
Arabidopsis thaliana
—DNA, PCR amplification, CAMV-specific primers, 469A
—turnip crinkle virus on, resistance, 1021
Arachis hypogaea, cultivar response to leaf spot, 1375A
Aragaki, M., 1385A, 1410A
Arancibia, R. A., 1402A
Arias, B., 1386A
Ariga, E. S., 1401A
Armillaria spp.
—*A. mellea*, propiconazole for control, field evaluation, 690A
—*A. ostoyae*, on eight spp., pathogenicity, 1365A
Armstrong, J. L., 328
Arnason, J. T., 949
Arnold, S. A., 1362A
Arul, J., 1357A
Asai, W. K., 693A
Ascochyta fabae, on lentil straw, 692A
Ash
—mycoplasmalike organisms of, genetic relatedness in Europe and North America, 971
—yellows, monoclonal antibodies against, 243A
Ashby, R. L., 1392A
Asparagus
—Fusarium crown and root rot, bacteria and chemical relations, 243A
—*Gibberella fujikuroi* on, mating populations, 1346A
—leaf spot and purple spot, epidemiology, 1344A
Aspen, regeneration failure, environmental effect, 1411A
Aspergillus spp., pentaketide wall-bound pigments, 1346A
—*A. flavus*: aflatoxin production, corn pericarp role, 1417A; atoxigenic isolate, field application, 1405A; competitive exclusion, 1283; on corn, genotype differences, 1417A; on cottonseed, modular storage, 1418A; inoculum source, 1463A; linkage group markers in chromosomes, 1369A; mycelial growth, corn protein effect, 1415A; *nor-1* gene from, 1370A; pectin degrading enzymes from, characterization, 1369A; sclerotia and conidia of, survival, in soil, 1141; sclerotial production, gossypol effect, 1398A; on soybean, resistance,

lipoxygenase, 1473; sRNA, stability in group, 1399A; vegetative compatibility analysis, 1399A
—*A. niger*, on fig, factors, 1454
Assabgui, R. A., 949
Asscencio-Ibañez, J. T., 514
Astier-Manifacier, S., 818
Atkinson, M., 1404A
Audley, D. E., 241A
Augé, R., 1410A
Avila, F., 1397A, 1412A
Aylor, D. E., 1116, 1358A

Bachand, G. D., 1351A
Bachman, E. J., 1361A
Bacillus spp.
—*B. megaterium*, on soybean, chemotactic response, 1339A
—*B. subtilis*: on cotton, root colonization and seed factors, 1120; transformation system, 1360A
—*B. thuringiensis*, crystal protein gene from, cloning into *Clavibacter*, 249A
Backman, P. A., 468A, 1120, 1340A, 1348A, 1371A
Bacon, C. W., 1406A
Bacteria
—copper resistance, 1449
—soil populations, aromatic compounds, 1418A
Baenziger, P. S., 1336A, 1356A
Baer, D., 157
Bagade, P., 1401A
Bai, G.-H., 1414A
Bailey, J. E., 1375A, 1376A, 1387A
Baird, R. E., 464A
Baldwin, M., 1412A
Balis, F. J., 241A
Ball, E. M., 1396A
Baltensperger, D. D., 1396A
Bandla, M. D., 1371A, 1373A
Bandurski, R. S., 1380A
Bandyopadhyay, R., 1358A, 1390A
Bangera, M., 1385A
Banttari, E. E., 1421A
Barash, I., 234
Barba, M., 772, 1130
Barbehenn, R. V., 859
Barbosa, P., 621
Barley
—*Bipolaris sorokiniana*, on roots, GUS gene transformation, 1484
—crown rust: on forage grasses in North Dakota, 884A; resistance inheritance, 1336A
—disease resistance genes, RAPD markers, 883A
—isozyme, pathogen-induced, 1335A
—leaf rust: new resistance gene, 884A; resistant genes linkage, morphological markers, 230
—net blotch, tillage and seed treatment effect, 466A
—papilla-regulating extract, identification, 1380A
—powdery mildew: gene locus, 885A; response gene transcripts, 1382A; virulence gene frequencies, changes, 253, *689*
—*Pyrenophora* spp. on, RFLP analysis, 887A
—spot blotch, resistance and gene location, molecular map, 1353A
—stripe rust: in Colorado, 690A; resistance screening, 1337A
Barley stripe mosaic virus, seed transmission, 1350A
Barley yellow dwarf virus
—aphid acquisition, receptor-mediated endocytosis, 270
—aphid dispersal factor, 1420A
—on corn, yield loss, 884A
—on corn and barley, coat protein resistance, 1374A
—monoclonal antibody for analysis, 1402A
—in oats: isolate-specific resistance, aphid transmission, 716; localization, 1402A; resistance to, ELISA, 1421A; yield effect, 1388A
—PAV isolates, variability, 1356A
—RNA detection, non-radioactive, 1378A
—structural proteins, analysis, 1356A
—in sweet corn, yield loss, 1388A
—transmission: aphid efficiency, 1403A; vector-specific, gland barrier, 1293
Barnes, H. H., 1381A
Barnett, J. P., 1352A, 1364A
Barnett, O. W., 33, 355
Bartolome-Esteban, H. T., 1398A
Bassam, B., 1338A
Batra, L. R., 695A
Batson, W. E., Jr., 1418A
Baudoin, A. B. A. M., 695A, 1397A
Bauer, P. H., 213
Baum, T. J., 464A
Bauske, E. M., 1388A, 1396A, 1400A, 1404A, 1418A
Bayman, P., 1283
Bean (see also *Phaseolus vulgaris*)
—snap, Rhizoctonia root rot, biocontrol, 1384A
—white mold, biocontrol, 1385A
Bean common mosaic virus, phylogenetic analysis, 1374A
Bean dwarf mosaic geminivirus, nucleotide sequence, 181
Bean golden mosaic geminivirus, molecular characterization, 709
Bean golden mosaic virus
—chimeric geminiviral construction, 1402A
—occurrence in Florida, 1372A
Bean pod mottle comovirus, immunoelectrophoretic analysis, 886A
Bean pod mottle virus, coat protein, precursor gene, transformation, 1374A
Bean yellow mosaic virus
—coat protein: monoclonal antibody, 1349A; in strains, sequence relations, 355
—on transgenic plants, transcapsidation, 1349A
—on white lupin, immunodetection, 246A
Beaupré, C. M.-S., 1388A
Beaver, R., 466A
Beck, R., 1354A
Becker, C. M., 1377A
Becton, C. M., 467A, 1384A
Beer, S. V., 1342A
Beet curly top virus
—on *Arabidopsis*, 1334A
—CFH strain, nucleotide sequence, 1424A
Beet necrotic yellow vein virus, *Polymyxa betae* vector, inoculation method, 1216
Behrendt, C. J., 1351A
Beickman, K., 1422A
Bélanger, R. R., 242A
Bell, A. A., 1380A
Bell, D. K., 464A
Bemisia tabaci
—on bean, bean dwarf mosaic geminivirus vector, 181
—bean golden mosaic virus vector, 709
—geminivirus vector, on pepper, 514
—on squash, role in silverleaf syndrome, 763
Bender, C. L., 468A, 1405A
Benedict, A., 1405A
Benedict, A. A., 1341A
Benhamou, N., 242A, 1062
Bennetzen, J. L., 1326, 1413A
Benscher, D., 1422A
Benson, D. M., 1303, 1347A, 1348A, 1383A, 1384A, 1410A, 1419A
Bentgrass
—dollar spot, biological control, 697A
—Rhizoctonia blight, fungicides and forecasts, 1338A
Ben-Yephet, Y., 509
Bergamin Filho, A., 928, 933
Bergdahl, D. R., 241A, 242A, 1364A
Berger, P. H., 693A, 1269, 1374A, 1403A
Berger, R. D., 1362A
Bergren, M. S., 1406A
Bergstrom, G. C., 1355A
Bermudagrass, spring dead spot, pathogen identification by DNA probes, 97
Bernard, E. C., 1400A
Berner, D. K., 1363A, 1401A
Bernier, L., 242A, 248A
Bernstein, B., 1409A
Berrios, D. E., 1378A
Bertaccini, A., 772, 1130
Bertrand, P. F., 825, 1408A
Bett, M. B., 1402A
Betz, T. R., 1407A
Beute, M. K., 1375A, 1376A
Beyl, C. A., 467A
Bharathan, N., 1424A
Bhat, R. G., 473, 1353A, 1388A
Biles, C. L., 324, 607, 1333A, 1334A, 1406A, 1414A
Bina, J., 1404A
Biological control
—agent-fortified compost, 1406A
—*Aspergillus flavus*, toxigenic vs. atoxigenic isolates, 1283
—*Colletotrichum gloeosporioides* for mallow and velvetleaf, 1229
—epiphytes for Eutypa dieback of grape, 624
—*Gliocladium virens*, gliotoxin production, polypeptides, 1040
—herbicolin A for wheat seed treatment, 213
—nematode egg hatch inhibited by bacteria, 1245
—*Paecilomyces lilacinus*, on fig, 1454
—pea damping-off and root rot, 1466
—pear fire blight and *Pseudomonas fluorescens*, 117
—*Puccinia jaceae* for *Centaurea* spp., 894
—*Pyrenophora tritici-repentis* by residue inoculum control, 371
—strawberry gray mold, antagonists, 615
—*Trichoderma* and *Enterobacter*, synergistic interaction, 721
Bipolaris spp.
—*B. sorokiniana*, transformation using GUS gene, 1397A, 1484
—*B. zeicola*, races on corn, 1334A
Bird, A. F., 676
Bird, G. W., 1378A
Bird, J., 690A, 1422A
Bisaro, D. M., 1334A
Bissonnette, S. M., 1388A
Bittner, J., 1347A
Black, B. D., 1343A
Black, G., 1408A
Black, L. L., 1363A, 1372A
Blackberry, rosette, fungicides for, 1408A
Blair, M. W., 1372A
Blaise, F., 818
Blanchette, R. A., 1351A
Blank, C. A., 1419A
Blasband, A. J., 1397A
Blauth, J. R., 1357A
Blodgett, J. T., 1352A
Blodgett, J. W., 248A
Blount, J. W., 1383A
Blueberry
—anthracnose of, postharvest, 468A
—Armillaria root disease, in Massachusetts, 248A
—fruit diseases, in North Carolina, 1409A
—mummy-berry, inoculation technique,

1409A
Blumeria graminis, virulence, in Ohio, 1335A
Bockelman, H. E., 1337A, 1397A
Bockus, W. W., 883A
Boeger, J. M., 1148
Boehm, M. J., 1365A
Boerma, H. R., 1343A
Boeshore, M. L., 1425A
Boland, G. J., 1347A
Bollen, G. J., 1367A
Bonde, M. R., 1354A, 1379A
Bongiovanni, M., 803
Bonilla, B. T., 1340A
Bonman, J. M., 393, 1182
Bonnet, D., 1416A
Borkhsenious, O. N., 1350A
Borovkova, I. G., 883A
Borromeo, E. S., 393
Bors, B., 1417A
Bostock, R. M., 1382A
Botryosphaeria spp.
—*B. dothidea*: on chaparral, branch dieback, 690A; on peach bark, seasonal infection, 825; in pistachio, spore release, control with irrigation-sprinkler placement, 145
—*B. ribis*, on *Melaleuca*, screening, 1364A
Botrytis spp.
—*B. cinerea*: benomyl resistance, mutations, 1478; on black spruce, drought effect, 248A; dicarboximide resistance, 1385A; on fruit and snap bean, fungicide resistance, 1390A; sporulation on residue, 1390A; on strawberry, biocontrol, 615
—*B. squamosa*, on onion, conidiation factors, 241A
Bottacin, A. M., 693A
Boudreau, M. A., 1390A
Bourgeois, G., 241A
Bouzar, H., 551, 733, 1341A, 1405A
Bowen, K. L., 1340A, 1348A, 1396A
Bowers, J. H., 1420A, 1466
Boyette, C. D., 1385A, 1398A
Bradford, E., 1410A
Brainard, K. A., 922, 1420A
Brammall, R. A., 1393A
Branch, W. D., 1376A, 1386A
Brandl, M., 1341A
Brannen, P. M., 1348A
Brassica spp.
—*B. napus*, blackleg, disease incidence and severity, 247A
—*B. oleracea*, black rot, resistance transfer by protoplast fusion, 1394A
Braun, E. J., 332
Braun, P. G., 242A
Brazee, R. D., 1351A
Brenneman, T. B., 464A, 1376A
Brewster, V., 1409A
Bricker, J. S., 690A
Brière, S. C., 1366A
Briones-Ortega, R., 1346A
Brlansky, R. H., 1372A, 1378A, 1399A
Broadway, R. M., 302, 308, 313, *1263*
Brooker, N. L., 1379A
Brooks, F. E., 690A
Broome, J. C., 1371A
Brown, D. A., 1364A
Brown, G. E., 1204
Brown, J. E., 468A
Brown, J. K., 690A, 691A
Brown, L. G., 1400A
Brown, R. L., 1355A, 1417A
Brown, W. M., Jr., 690A, 694A, 1335A, 1337A
Browne, G. T., 744
Brown-Jenco, C. S., 1370A
Bruckart, W. L., 695A, 894
Bruton, B. D., 464A, 465A, 468A
Bucciarelli, B., 1415A
Buchner, R. P., 1460
Buckley, R. J., 242A
Bugbee, W. M., 63
Bukhalid, R. A., 1360A
Burgett, D. M., 478
Burris, J. S., 1386A
Bursaphelenchus xylophilus, on Scots pine, persistence, 242A
Buss, G. R., 1401A
Butterfield, J. E., 445

Cabauatan, P. Q., 655
Cabbage
—black rot: host resistance and copper bactericide, 246A; isozyme, purification, 1335A
—residues, in solarized soil, antifungal compounds, 899
Caceres, J., 1418A
Caetano-Anolles, G., 1338A
Callahan, T. M., 1422A
Calonectria crotalariae, on soybean, cultivar and host age, 1342A
Calvert, L. A., 1373A
Camargo, L. E. A., 1395A
Campbell, C. L., 288, 419, 1312, 1323A, 1373A, 1391A, 1413A, 1434
Campbell, H. L., 1343A, 1371A
Campbell, K. W., 1355A
Campbell, R. N., 363
Can, F., 1402A
Canaday, C. H., 1345A
Candole, B. L., 1418A
Canola (see also Rapeseed)
—Sclerotinia stem rot, petal infestation, forecasting, 682
—stem rot, apothecial development, 1393A
Cantone, F. A., 456, 1374A
Capparelli, R., 1178
Capsicum spp.
—*C. annuum*: Alternaria fruit rot of, plant susceptibility, 324; geminivirus on, inoculation by biolistic procedure, 514; *Phytophthora* epidemic, spatial dynamics, 1312; Phytophthora fruit rot, cuticle and maturation factors, 607, *882*
—*C. frutescens*, virus, properties, 1372A
Carey, J., 1360A
Carey, W. A., 1352A
Carisse, O., 241A, 338, 1357A, 1386A
Carling, D. E., 854, 922, 1420A
Carlson, J. A., 1412A
Carmer, S. G., 187
Carney, K. J., 1425A
Carraro, L., 772, 915
Carris, L. M., 1337A, 1346A
Carroll, J. E., 1355A
Carroll, R. B., 696A, 1407A
Carrot
—black rot, *Alternaria* and tillage relation, 1345A
—root dieback, soil temperature and microflora effect, 1345A
—root-knot nematode, soil fumigation for, 244A
—stored, UV effect, 1357A
Carson, M. L., 1395A
Carter, C. H., 1376A
Carter, M. R., 695A, 1337A
Cartwright, B., 464A
Cartwright, D. K., 1348A
Cartwright, R. D., 1347A, 1398A
Caruso, F. L., 248A
Cary, J., 1369A
Casper, H., 885A
Cassava vein mosaic virus, distribution and characterization, 1373A
Castagnone-Sereno, P., 803
Castello, J. D., 1351A
Castlebury, L. A., 1346A
Castro, C., 1379A
Catharanthus roseus, damping-off, aluminum effect, 1303
Cauliflower, Verticillium wilt, in California, 1345A
Cauliflower mosaic virus
—isolate phylogeny, recombination, 465A
—turnip hyperstunting induced by, 465A
Celery, Septoria blight, temperature and leaf wetness effect, 1036
Cenis, J. L., 76
Centuria spp., rust, biocontrol, 894
Ceratocystis spp.
—*C. coerulescens*, control with antagonistic metabolites, 1407A
—*C. fagacearum*: on live oak, root colonization, 1411A; on oak, isolate differentiation, 1353A; RFLP analysis, 1365A
Cercospora spp.
—*C. arachidicola*: on peanut, fungicide advisory program, 195; on peanut, humidity and temperature effect, 1358A
—*C. carotae*: on carrot, factors, 1357A; on carrot leaves, sporulation factors, 338; forecasts for fungicide application, 241A
—*C. kikuchii*: clone cLE6, analysis, 1422A; electrophoretic karyotype, 1422A; on soybean, growth stage, 1358A; on soybean, moisture and light effects on disease, 109
—*C. nicotianae*: cercosporin-sensitive mutants, 1380A; phytoene dehydrogenase gene, sequence, 1422A
—*C. zeae-maydis*: on corn, development and survival, 153; sporulation, light effect, 1336A
Cerkauskas, R. F., 1357A
Cerniglia, C. E., 1418A
Chaisrisook, C., 883A
Chalara elegans
—dsRNAs in, significance, 693A
—soil survival factors, 693A
Chalkley, D. B., 1387A
Chamberlin, J. R., 465A
Chambers, A. Y., 465A, 1370A
Chaney, W. R., 692A
Chang, C. J., 192
Chang, S., 1360A
Chao, C. T., 375, 1334A
Charest, P.-M., 864
Charudattan, R., 1366A, 1385A
Chase, T. E., 1369A
Chay, C., 749, 1356A
Chérif, M., 242A
Chehata, M. R. A., 1371A
Chen, C., 1347A
Chen, C. Q., 1388A, 1404A
Chen, C.-Y., 224
Chen, F., 1384A
Chen, J.-P., 1418A
Chen, K. H., 242A, 915, 1340A
Chen, R. S., 1148, 1353A
Chen, T. A., 242A, 243A, 249A, 915, 1340A, 1341A, 1359A
Chen, W., 1346A
Chen, X. M., 382, 1414A, 1415A, 1416A, 1489
Chen, Y. D., 242A, 915
Chenault, K. D., 465A, 1373A, 1374A, 1422A, 1425A
Cheng, S.-L., 1402A
Cheong, S. S., 1342A
Cherry
—fungi on fruit, histology, 1408A
—sweet, pH and Al content growth effect, 1378A
Chestnut, blight, dsRNA comparison, in strains, 244A
Chet, I., 1062
Chiba, M., 1357A
Childress, L. C., 1412A

Chilton, W. S., 1384A, 1405A
Chiou, C.-S., 1363A, 1386A
Chittaranjan, S., 693A
Cho, J., 1357A
Choi, T.-J., 1361A, 1425A
Christ, B. J., 695A, 1413A
Christensen, N. W., 1384A
Christ-Harned, E. A., 164
Christians, N. C., 806
Chuang, L. Y., 884A
Chun, W. W. C., 1339A, 1404A
Cirsium discolor, mosaic disease, virus-like, 1402A
Citrus
—blight, root grafts, 1409A; virus isolation, 1372A
—fruit drop, postbloom, dynamics in Florida, 485
—*Phytophthora citrophthora* on, resistance conferred by scoparone, 753
—Phytophthora root rot, *Fusarium* influence, 767
—postbloom fruit drop, cutinase relation, 113
—rhizosphere, nematode and fungus inhabitants, seasonal pattern, 573
—root rot, biocontrol, 1348A
—stem-end rot, ethylene interaction, 1204
—variegated chlorosis, microscopy, 1399A
—whisker mold, new postharvest disease, 1417A
Citrus leaf rugose virus, alfalfa mosaic virus relation, nucleic acid sequence, 1361A
Citrus tristeza virus
—characterization in California, 1372A
—coat protein gene: amplification from aphid vector, 1375A; in Colombia, 1403A
—detection using inclusion bodies, 1378A
—isolate diversity, 1373A
—monoclonal antibodies, 1378A
—non-structural protein, detection, 1362A
—in Rio Grande Valley of Texas, 1377A
Civerolo, E. L., 1373A
Cladosporium caryigenum, on pecan shucks, histology, 1343A
Clark, C. A., 1387A
Clark, E., 234, 1341A
Clark, J. M., Jr., 659
Clark, T. A., 1382A
Clark, T. L., 1417A
Clarke, B. B., 243A, 247A, 1337A, 1338A, 1365A
Classen, J. J., 1399A
Clavibacter spp., plasmids, molecular genetics, 884A
—*C. michiganensis*: monoclonal antibody for, 1405A; on potato, detection with DNA and RNA hybridization, 243A; on potato, high latitude effect, 1363A; in potato, nonmucoid strain, serological detection, 157
—*C. toxicus*, on ryegrass, bacteriophage and toxins, 676
—*C. xyli*: on bermudagrass, insect transmission, limiting factors, 859; insecticidal gene expression, plasmid, 1359A
Clayton, M. K., 430
Clement, D. L., 1397A
Cleveland, T. E., 1355A, 1360A, 1369A, 1417A, 1422A
Cline, W. O., 1409A
Cloutier, D. C., 338
Clover yellow vein virus, subclover resistance, 1421A
Cobb, A. C., 1345A
Cobb, F. W., Jr., 1363A
Cochliobolus spp.
—*C. carbonum*; on corn, races in North Carolina, variation, 593; race analysis by PCR amplification, 366
—*C. heterostrophus*, tubulin gene, 1422A
—*C. sativus*: on barley, phenotype infection scale, 1415A; on wheat, internode discoloration using image analysis, 976
—*C. victoriae*, germination inhibited by fungistatic compound, 1368A
Cocoyam, root rot, in Cameroon, 1343A
Cohen, J. V., 400
Cohen, S. D., 1412A
Cohen, Y., 1054, 1250
Colby, D. M., 1338A
Coleman, P. M., 1348A
Colinas, C., 1352A
Colletotrichum spp.: on apple, taxonomic and morphological diversity, 1412A; diversity in relatedness, 1413A; on fruits and nuts, characteristics, 1409A; prevalence in Georgia, 1394A
—*C. acutatum*: on strawberry, fungicides for, 1377A; on strawberry, rain dispersal, 1390A
—*C. gloeosporioides*: bialaphos resistance gene, transformation, 1379A; on citrus, cutinase variation in populations of, 113; on citrus, postbloom fruit drop from, dynamics, 485; intraspecies diversity, isozyme analysis, 1398A; on mallow and velvetleaf, disease factors, 1229; on northern jointvetch, benomyl resistance transformants, DNA integration, 328; phylogenic relations, RAPD, 1413A
—*C. graminicola*: conidial adhesion, 1336A; on corn, resistance inheritance, 981
—*C. orbiculare*: on cucurbits, race reexamination, 1190; mitochondrial DNA, molecular diversity, 1199
—*C. truncatum*, mycoherbicide, crop oil effect, 1398A
Collins, D. J., 465A, 468A, 1388A
Collins, G. B., 1374A
Collins, H. P., 260
Collmer, A., 243A
Colyer, P. D., 1333A
Commandeur, U., 1426A
Conicella, C., 1382A
Conn, K. E., 1354A
Conner, R. L., 976
Connick, W. J., Jr., 953
Conti, M., 829
Cook, C. G., 1376A
Cook, D., 1404A, 1416A
Cook, R. J., 1406A
Copel, A., 1354A
Corn
—aflatoxin contamination, kernel infection, 1355A
—aflatoxin resistance, postharvest, 1354A
—anthracnose, stalk rot resistance inheritance, 981
—*Cochliobolus carbonum* on, races in North Carolina, variation, 593
—common smut, stigma infection, 843
—*Exserohilum* and *Bipolaris* infection, resistance screening, 1395A
—flour, mycotoxins, assessment in Costa Rica, 1418A
—Fusarium ear rot, husks and thrips importance, 1375A
—*Fusarium graminearum* on, resistance and ferulic acid correlation, 949
—gray leaf spot, survival and humidity factors, 153
—Helminthosporium leaf spot and ear rot, race analysis, 366
—lethal leaf spot, phenylpropanoid and symptom, 1380A
—mitochrondria in, BMT-toxin sensitivity, 1379A
—nematodes, in Germany, 1336A
—nickel-coated graphite fibers, phytotoxicity, 1427A
—northern corn leaf blight, resistance: in Africa, 217; molecular markers, 1326
—red root rot of: fungal association, 696A; fungal population in soil, 1407A
—root diseases, soil microbiology, 886A
—seed decay, polymer coating for control, 1386A
—seed increase with foliar fungicides, 1370A
—sweet: IAA conjugation, transgenic plants, 1380A; rust, partial resistance, fungicides for, 1046
—viruses on: johnsongrass effect, 695A; symptoms associated with nicosulfuron, 1371A
Cornelius, J. J., 1417A
Correa-Victoria, F. J., 1427
Correll, J. C., , 1029, 1190, 1199, 1345A, 1368A, 1403A, 1412A, 1413A, 1419A, 1423A
Corylus avellana, eastern filbert blight of, infection mode, 1391A
Costa, H. S., 763
Cotton
—aflatoxin production in boll, alkenal effects, 1415A
—Alternaria leaf spot, age effect, fungicide, 1235
—bacterial blight, exopolysaccharide production, 344
—Fusarium wilt, biocontrol with bacteria, 1404A
—inoculant effect, *Bacillus subtilis*, 1348A
—nematodes, aromatic compound occurrence, 1400A
—rhizosphere, *Bacillus subtilis* colonization and seed factors, 1120
—root-knot and Fusarium wilt complex, host and planting date effect, 645
—seedling disease, *Gliocladium* with fungicides for, 696A
Cotton leaf crumple virus, whitefly transmission, biolistic inoculation, 691A
Cottonwood, leaf rust of, epidemiology, defoliation, 140
Cotty, P. J., 1283, 1398A, 1399A, 1405A
Cowpea
—cucumber mosaic virus, genomic mapping, 1349A
—rust, resistance inheritance, 224
—virus-free accessions from, 696A
Craft, C. M., 1366A
Craig, M. L., 1385A
Cranberry, ericoid mycorrhizae, synthesis, 1346A
Crawford, M. A., 1426A
Creamer, R., 1401A
Credi, R., 772, 1130
Creech, R. G., 1400A
Criconemella xenoplax
—egg hatch inhibition, bacterial relation, 1245
—peach orchard soils, bacteria suppressive to, 1240
—soil microbial effect, 1367A
Crippen, D. L., 1347A
Croan, S., 1407A
Cronartium spp.
—*C. comandrae*: on lodgepole pine, growth and survival, 638; on lodgepole pine, incidence prediction, 630
—*C. quercuum*: cambial tissue response, 468A; DNA polymorphism detection, 388; on loblolly pine, infection limitation, 1364A; water transport and binding in galls, 1411A
Cropping system, strip intercropping, yield and foliar disease, 1393A
Crowe, F. J., 691A
Cryphonectria parasitica

—on chestnut, inheritance and DNA, genetic diversity, 563
—endopolygalacturonase from, purification, 1352A
—virus infection in, 246A
Cu, R. M., 195
Cubeta, M. A., 1346A
Cucumber
—anthracnose, resistance screening, 1345A
—bacterial wilt, induced resistance, 467A
—*Colletotrichum* and *Cladosporium* infection, systemic resistance, 1379A
—nickel-coated graphite fibers, phytotoxicity, 1426A
—*Pythium aphanidermatum* on, *Pseudomonas* effect on, biocontrol, 872
—*Pythium ultimum* on, silicon effect, 242A
—root-knot, tomato and nematicide effect, 1333A
—systemic resistance, cinnamyl alcohol dehydrogenase, 1382A
—watermelon mosaic virus, resistance genes, 1414A
Cucumber mosaic cucumovirus, genetic mapping, 1361A
Cucumber mosaic virus
—movement gene, mutant, 1349A
—movement protein, analysis, 1425A
—replication, biochemical analysis, 1361A
—resistance breaking CMV strain, interaction, 1349A
—RNA 2, 4a, and 5, 1424A
—satellite RNA, synthesis, 1350A
—sequences controlling infection, 1349A
—from spinach, seed transmission, 1403A
—on tomato, attenuated strain in Japan, field test, 405
—transgenic tobacco plants, coat protein gene role, 542
—on transgenic tomato, satellite RNA, 696A
—yellow mosaic symptoms of, gene regulation in *Nicotiana*, 411
Cucumovirus, molecular cloning, 1361A
Cucurbit
—anthracnose, race reexamination, 1190
—Phytophthora blight and fruit rot, outbreak in Florida, 1388A
—yellow vine: etiology test, 468A; history, 464A
Culbreath, A. K., 464A, 465A, 1386A
Culver, J. N., 1349A
Cummings Carlson, J., 1352A
Cunfer, B. M., 1386A
Currin, R. E., III, 350
Curvularia lunata, on sorghum, grain mold, genes controlling traits, 490
Cyclaneusma minus, on Christmas tree plantations, Bravo efficacy, 248A
Cylindrocladium crotalariae, on peanut, seed transmission, 1376A

Dacuyan, S., 1363A
Daggett, S. S., 319
Daigle, D. J., 1405A
Dalbulus maidis, nonvector for aster yellows, detection by PCR, 621
Dally, E. L., 621, 696A, 772, 1130
Dalmasso, A., 803
Dalrymple, L., 1388A
Damaj, M., 864
Damann, K. E., 1398A
Damicone, J. P., 466A, 1358A, 1365A
Damsteegt, V. C., 1421A
Dandurand, L. M., 265, 767, 1419A
Danyluk, G. M., 1355A
D'Arcy, C. J., 884A, 1378A, 1388A, 1402A
Dasheen mosaic virus, capsid protein, sequence variation, 1403A
Datnoff, L. E., 1395A, 1406A
Daub, M. E., 1355A, 1380A, 1422A
Daubert, C., 465A
Daughtrey, M., 242A
Davidse, L. C., 1087
Davis, C. L., 1372A
Davis, E. L., 1366A
Davis, J. R., 691A
Davis, K. R., 1334A, 1414A
Davis, L. A., 1339A
Davis, M. A., 883A
Davis, R. E., 468A, 621, 696A, 772, 829, 834, 1008, 1130, 1400A
Davis, R. M., 1345A, 1375A
Davis, S., 693A
Dawson, W. O., 1349A
Daykin, M. E., 538, 1408A
Deahl, K. L., 1389A
Dean, R. A., 464A, 1334A, 1357A, 1369A, 1409A, 1422A
DeDene, D. D., 883A
de la Peña, R. C., 1357A
Deleo, M. M., 691A
Del Sorbo, G., 1178
Demezas, D. H., 1405A
Demler, S. A., 1350A, 1425A
Dempsey, D. A., 1021
Demski, J. W., 465A, 1386A
DeMuth, S. P., 1389A
Dendrobium mosaic virus, detection in Hawaii, 1372A
Dendroctonus frontalis, on pine, root anatomy and microflora, 1411A
Derie, M., 1405A
Des Jardin, E. A., 414
DeScenzo, R., 885A
Desilets, H., 242A
Desjardins, A. E., 164
Dessaux, Y., 1405A
Dessureault, M., 248A
Destéfano-Beltrán, L., 1395A
Detweiler, A. R., 1371A
DeValerio, J. T., 1366A, 1385A
Dew, timing and duration, estimation methods, 1391A
DeWitt, N. D., 829
de Zoeten, G. A., 1350A, 1425A
Di, M., 1333A, 1363A
Di, R., 1374A
Diagnosis, environmental horticultural data, consumer 1-800 number, 1397A
Diaporthe lokoyae, on *Picea pungens*, in Pennsylvania, 246A
Didymella bryoniae, on cucurbits, *Phoma* spp. comparison, 1393A
Diehl, S. V., 1377A
Dienelt, M. M., 662, 1402A
Dilday, R. H., 1336A
Dillard, H. R., 1345A
Dillon, M. A., 690A
Dimock, M., 1373A
Dinant, S., 818
Ding, C., 1366A
Ding, X. S., 1426A
Dinoor, A., 1235
Di Pietro, A., 302, 308, 313, 721, *1263*
Diplodia natalensis, on citrus, ethylene interaction, 1204
Discosia pini, on *Pseudotsuga menziesii*, seedling blight in Pennsylvania, 248A
Discula spp., isolate characterization, DNA amplification, 1338A
—*D. destructiva*: on dogwood, beetle as vector, 1338A; on dogwood, defoliation in trees, 247A; on dogwood, epidemic in Connecticut, 1410A; on dogwood, extracellular enzymes, 1410A; on dogwood, phenotype, dsRNA, and hybridization, 1392A; growth on media, 467A; toxic metabolites, bioassay, 1393A
Disease assessment, computerized training program, 886A
Disease incidence
—analysis, methods, 1362A
—sample size determination, 1362A
Disease management, natural products for, evaluation, 695A
Disease progress curve, sigmoid pattern, mathematical functions, 928
Disease risk analysis, GIS application, 1412A
Di Terlizzi, B., 772
Dittapongpitch, V., 466A, 959
Dixon, R. A., 1383A
Dodds, J. A., 1372A
Dodson, K. M., 1335A
Doehlert, D. C., 1473
Dogwood
—anthracnose: in Alabama, 1337A; predisposition factors, 1410A
Domier, L. L., 1346A, 1378A, 1402A, 1423A
Donaldson, R. C., 192
Doney, J. C., Jr., 1338A
Donson, J., 1349A
Dorrance, A. E., 1336A
Douches, D., 1414A
Doudrick, R. D., 1411A
Doudrick, R. L., 388, 1415A
Douds, D. D., Jr., 1420A
Dowler, W. M., 953
Dracaena spp., root rot, *Pythium* cause, 1410A
Drennan, J., 243A
Drenth, A., 1087
Drinkwater, L. E., 581
Dube, A. J., 886A
Ducasse, D. A., 1349A
Duffus, J. E., 1370A, 1421A
Dugan, F. M., 1408A
Duke, S. O., 1354A, 1379A
Duncan, L. W., 573
Duncan, R. A., 1340A
Dunkle, L. D., 366, 1343A, 1380A
Duthie, J. A., 465A, 1440
Dyck, P. L., 885A
Dyer, A. T., 1353A
Dyson, W. C., 1413A

Earle, E. D., 1394A
Eastburn, D. M., 1046
Easton, G. D., 691A
Eayre, C. G., 1354A, 1417A
Eberwine, J. W., Jr., 695A
Echandi, E., 1384A
Edwards, M. C., 1350A
Egel, D. S., 1359A
Eggplant, Verticillium wilt, nitrogen effect, 243A
Egley, G. H., 1398A
Ehlenfeldt, M. K., 1409A
Ehrenshaft, M., 1422A
El-Abedeen, A. Z., 1392A
El-Assiuty, E. M., 1392A
El-Barrad, N., 1365A
Elder, M., 400
El-Gholl, N. E., 701
Elias, K. S., 1343A, 1399A
Ellingboe, A. H., 375, 1093, 1334A
Elliott, M. L., 283, 414
Ellis, M. A., 1390A
Elm (see also *Ulmus*)
—Dutch elm disease, resistance, 1411A
—mycoplasmalike organisms of, genetic relatedness in Europe and North America, 971
El-Meleigi, M. A., 1335A
Elmer, W. H., 243A, 1346A, 1408A
Elphinstone, J. G., 1378A
El-Rokibah, A. A., 1335A
El-Shafey, H. A., 1392A
El-Shair, S. M., 1335A
Emery, K. M., 1358A

Endophyte, seedling disease tolerance mediation by, 1419A
Engelkes, C. A., 1365A, 1397A
English, J. T., 1358A, 1424A
Enoki, A., 1410A
Enterbacter cloacae
—chitinolytic enzymes from, synergism with *Trichoderma*, 721
—on corn seedling roots, endophyte, 1406A
Enzymes, pectin degrading, gene conservation in organisms in plants, 1422A
Epidemiology
—aggregated pattern in disease incidence, beta-benomial distribution, 759
—disease assessment system, inter-rater reliability, accuracy, 806
—dispersive epidemic waves, expansion in linear planning, 795
—distance class analysis, spatio-temporal, 1362A
—linear planting, mathematical model, 243A
—spatial pattern in white clover, 419
—white clover, viruses, fungi, and bacteria, spatial analysis, 288
Epilachna varivestis, virus transmission, coat protein determinant, 1375A
Epstein, A. H., 1339A, 1386A
Epstein, L., 1368A
Erbaugh, D., 1410A
Eremochloa ophiuroides, Rhizoctonia blight of, preemergent herbicides for, 467A
Errampalli, D., 1279
Errata
—vol. 83, no. 3, 1993, 689
—vol. 83, no. 3, 1993, 1263
—vol. 83, no. 4, 1993, 689
—vol. 83, no. 6, 1993, 882
Ersek, T., 1424A
Eruca vesicaria, leaf spot, 1344A
Erwinia spp.
—*E. amylovora*: on apple, lytic protein effect, 1395A; bee dispersal of, to blossoms, 478; in pear: biocontrol with *Pseudomonas*, 117; in pear, dispersal in honey, antagonistic bacteria, 995; streptomycin resistance, mechanism, 1386A; streptomycin-resistant strains, 1363A
—*E. ananas*, bacteriophages, 1354A
—*E. carotovora*, catechol siderophore from, chromatography method, 1381A
—*E. chrysanthemi*, corn stalk rot strain, endoxylanase from, 332
—*E. herbicola*: antibiotics from, fire blight control, 1342A; on *Gypsophila paniculata*, gall formation, 234; herbicolin A produced by, wheat seed treatment, 213; on pear, indole-3-acetic acid biosynthesis, 1341A
—*E. stewartii*, on corn, transmission by seed, 885A
Erysiphe spp.
—*E. graminis*: on barley, virulence gene frequencies, changes in population, 253, *689*; on rye, resistance, variation components, 1071
—*E. lagerstroemiae*, on crape myrtle, variability, 1413A
—*E. polygoni*, on pea, ozone interaction, 1258
Escherichia coli, biosynthesis gene, cloning, 1339A
Escudero, J., 690A
Esele, J. P., 490
Eshenaur, B. C., 1369A
Essenberg, M., 344, 1382A
Esser, R. P., 701
Estaún, V., 1400A
Euphorbia esula
—*Alternaria*: for control, emulsion carrier, 1406A; infection, dew absence, 953
Eutypa spp.
—*E. armeniacae*, on grapevine, biocontrol, 624
—*E. lata*: on grapevine, biological control, 624; on grapevine, spatial patterns, 1440
Evans, C. K., 883A, 1391A
Evans, T. A., 1421A
Eversmeyer, M. G., 1390A
Everts, K. L., 557
Exserohilum turcicum
—on corn: pathosystem, latent period, 1395A; resistance in Uganda, 217

Fahey, J., 1373A
Fahrlander, J. A., 884A
Fairbrother, T. E., 1421A
Falk, B. W., 749
Fallik, E., 1354A
Faria, J. C., 709
Farnham, M. W., 1393A
Farrand, S. K., 1404A
Farrell, R. L., 1351A
Fauzi, T., 243A
Febres, V. J., 1362A, 1403A
Feldman, K. A., 1366A, 1406A
Felix-Gastelum, R., 1351A
Fenn, P., 465A, 1412A
Ferge, L., 1407A
Fernandez-Northcote, E. N., 171
Fernandez-Pavia, S., 1334A
Ferrandino, F. J., 243A, 795, 1410A
Ferreira, S. A., 1362A, 1372A
Ferrin, D. M., 690A
Ferriss, R. S., 140, 1269
Fescue
—endophyte and pathogen infection, factors, 1343A
—tall: brown patch, host factors, 1410A; nematode and *Acremonium* endophyte, 1400A
Fetch, T. G., Jr., 1415A
Fett, W. F., 1405A
Ficus benjamina, tumor of, agrobacteria, 1405A
Fiely, M. B., 1419A
Fig
—endosepsis, *Fusarium* spp. virulence, 527
—pathogens, factors, 1454
Figueira, A. R., 1378A
Filajdić, N., 465A, 1359A, 1390, 1391A, 1409A
Filonow, A. B., 1384A
Fir, balsam, feeding wounds and moth larvae, 241A
Firrao, G., 602
Fisher, G. F., 1341A
Fisher, M. L., 1396A
Flax
—rust, avirulence mutants, X-ray-induced, 886A
—slow-rusting, cultivar evaluation, 886A
Fletcher, D. C., 690A, 691A
Fletcher, J., 468A, 469A, 1279, 1399A, 1400A
Flint, K., 1399A
Flores-Revilla, C., 1393A
Flückiger, W., 1321
Flynn, P. H., 1410A
Ford, R. E., 1372A
Forest, health monitoring program, root pathogens, 1412A
Fortin, M. G., 246A
Fortnum, B. A., 350
Foutz, K. R., 1369A, 1370A
Fox, J. A., 1408A
Fox, R. D., 1351A
Fox, S. L., 884A
Fragaria chiloensis (see also Strawberry)
—ilarvirus in, characterization, 991
Franc, G. D., 1388A
Franckowiak, J. D., 230, 1336A
Francl, L. J., 884A, 885A, 1358A
Frankliniella occidentalis, tospoviruses in, leaf disk assay for determination, 986
Fravel, D. R., 1365A, 1397A
Frederiksen, R. A., 490
French, C. J., 400
French, R., 1356A, 1360A
French, R. C., 1381A
Fry, W. E., 103, 1087, 1334A, 1353A
Fucik, J., 1417A
Fuentes-Davila, G., 1375A, 1407A
Fujimoto, D. K., 1341A
Fulling, B. A., 1340A, 1389A
Funderburk, J. E., 1362A
Fungicides (general) (see also Fungicides, specific)
—demethylation inhibitors, fungus resistance, 1371A
—on peanut, advisory program, 195
—seed and foliar treatment, wheat diseases, 557
—sterol biosynthesis-inhibiting, in *Pyrenophora teres*, 1076
—vineyard sprayers, coverage and drift factors, 246A
Fungicides (specific) (see also Fungicides, general)
—BC1000, natural product, 1371A
—Benlate, phytotoxicity, lot differences, 1385A
—benomyl, resistance conferred by mutations in: *Botrytis cinerea*, 1478; *Neurospora crassa*, 850
—copper hydroxide, container-grown nursery plant application, 1426A
—diethofencarb, resistance conferred by *Neurospora crassa*, 850
—fluazinam, ornamental disease control, 1410A
—MYX-1446 F, for powdery mildew of rose and grape, 1370A
—tebuconazole, Alternaria leaf spot on cotton, 1235
Funnell-Baerg, D. L., 691A
Furusawa, I., 542
Fusarium spp.: on dry beans, in North Dakota, 883A; on fig, endosepsis, 527; on potato, thiabendazole resistance, 1355A; on tomato, fumonisin effect, 1416A
—*F. graminearum*: on corn, resistance and ferulic acid correlation, 949; strain characterization, RAPD and PCR methods, 1003; on wheat, resistance inheritance, 1414A
—*F. moniliforme*: on corn, fumonisin purification, 1418A; on corn, genetic diversity, 1413A; on fig, factors, 1454; on sorghum, grain mold, genes, 490; vegetative compatibility group, from corn, 1355A
—*F. oxysporum*: autonomous replication, consensus sequence, 1369A; on cotton, root-knot relation, factors, 645; on Cucurbitaceae, DNA relatedness in f. sp., 91; formae speciales of, differentiation by antisera, 1178; on lily, resistance determination, 568; on melon, resistance markers, 1357A; on pea, race 2, use of RAPD, 612; on spinach, DNA analysis, 1368A; on spinach, virulence diversity and resistance, 1419A; on tomato, race 3 in Arkansas, 1345A; subpopulations, relations based on DNA fingerprinting, 1346A; on tomato, resistant genotypes, 1395A; on watermelon, chromosomal polymorphism, 1209; on watermelon, suppressive soil and planting effect, 1097; on watermelon, suppressive soil and fungus ecology, 1105
—*F. sambucinum*: benzimidazole resistance, detection method, 885A

—*F. solani*: on citrus, effect on Phytophthora root rot, 767; molecular genetics, 1346A; on *Vigna radiata*, macroconidial mucilage secretion, 1162; on *Vigna radiata*, root attachment, carbon source, 1171
—*F. sporotrichioides*, trochodiene synthase, tobacco cell transformation, 1382A

Gabriel, D. W., 1360A
Gabrielson, R., 1405A
Gaeumannomyces graminis
—DNA detected by polymerase chain reaction, 283
—on grasses, identification using polymerase chain reaction, 414
Gafni, Y., 234
Gallenberg, D. J., 1386A, 1388A, 1421A
Gal-On, A., 1350A
Galvez, L., 1420A
Gamliel, A., 68, 899, 1340A
Gao, J. L., 1341A
Gao, J.-G., 206
Gao, S., 1352A
Garber, R. K., 1398A
Garcia, C., 1336A, 1387A
Garcia-Valle, R., 1375A
Gardner, H. W., 1473
Gardner, J., 1409A
Garnsey, S. H., 1378A
Garnsey, S. M., 1373A
Garraway, M. O., 1379A
Garrett, C., 1360A
Garzón-Tiznado, J. A., 514
Gates, R. N., 739, 1395A
Gauer, R. H., 691A
Gavin, A. M., 1419A
Gavino, P. D., 1369A
Gay, D., 466A
Gay, P. A., 1360A, 1367A
Gazaway, W. S., 1396A
Ge, X., 1361A
Geiger, H. H., 1071, 1356A
Geils, B. W., 630, 638
Geletka, L. M., 696A
Gellatly, D. L., 1309
Gene, leaf rust, genetic analysis, 885A
Genizi, A., 509
Gent, M. P. N., 243A
Georgakopoulos, D. G., 691A
Geranium, bacterial blight, inoculum source, 242A
Gergerich, R. C., 1375A, 1402A, 1403A
Gerhardt, S., 1423A
Gerhaty, N. E. A., 1410A
German, T. L., 456, 1357A, 1361A, 1370A, 1373A, 1374A, 1392A, 1423A, 1425A
Geske, S. M., 1355A, 1356A, 1374A
Ghabrial, S. A., 1374A
Ghazanfari, J., 1372A
Ghemawat, M. S., 246A
Gibberella spp.
—*G. pulicaris*, on potato tubers, thiabendazole field resistance, genetic analysis, 164
—*G. zeae*, virulence, gene disruption, 1416A
Giesler, L. J., 1410A
Gil, M., 1354A
Gilbertson, R. L., 181, 709, 1345A, 1350A, 1356A, 1420A
Gildow, F. E., 270, 1293, 1403A
Gill, B. S., 885A
Gillaspie, A. G., Jr., 465A, 696A
Gilreath, P. R., 1388A
Gingery, R. E., 86
Ginseng
—root rot and damping-off, in Ontario, 1393A
—seedling root rot, 1368A
Gisi, U., 1054
Gitaitis, R. D., 466A, 1367A
Gleason, M. L., 806, 1391A, 1410A
Gliocladium virens
—biocontrol agent: gliotoxin and polypeptide association, 1040; for *Vinca* damping-off, 1347A
—on corn, mycopathogenic pathogen, 1347A
—endochitinase from, gliotoxin combination, 308
—phytotoxin production, suppression with fungicides, 1340A
—subsurface growth, fractal analysis, 1399A
Globodera tabacum, reproduction affected by tobacco, tomato, and nightshade, 245A
Gloeophyllum trabeum, iron chelators, 1410A
Gloeosporium spp., prevalence in Georgia, 1394A
Glomus spp., on desert trees, identification, 691A
Gobbi, E., 602
Goering, M. G., 1337A
Goins, T., 283
Golembiewski, R. C., 1371A
Golino, D. A., 749, 1397A
Gonsalves, D., 728
Gonzalez, C. F., 1381A
Goodell, B., 1410A
Goodin, M. M., 696A
Goodman, J. E., 1421A
Goodwin, S. B., 1087, 1334A, 1353A
Gordon, D. T., 86, 1371A
Gordon, T. R., 1345A, 1346A
Gotlieb, A. R., 243A
Goto, M., 1449
Gottwald, T. R., 485
Götz, E., 319
Gould, A. B., 1406A
Gourmet, C., 1420A
Gow, N. A. R., 877
Grabau, G. A., 696A
Graham, J. H., 573
Graham, M. Y., 1380A
Graham, T. L., 1380A, 1382A
Grajal-Martin, M. J., 612
Graminella nigrifrons, maize chlorotic dwarf virus vector, probing behavior, 522
Granada, G., 1404A
Grand, L. F., 1398A
Granier, C., 1388A
Grant, J. F., 1338A
Grapevine fanleaf virus, detection using PCR 749, 1397A
Grapevine leafroll virus, detection and molecular cloning, 245A
Grapevine
—black rot, control strategy, 1377A
—Botrytis bunch rot, control by leaf removal, 1409A
—*Botrytis cinerea* on, immunoassay method, 1378A
—epidemiology in Mississippi, 1377A
—Eutypa dieback: biological control, 624; spatial patterns, 1440
—mycoplasmalike organism in, molecular detection, 696A
—*Phomopsis viticola* on, fungicides for, 1371A
—powdery mildew, management using fungicide, 1409A
—pruning wounds, microbial colonization, 1348A
—sour bunch rot, management in Mexico, 1396A
—yellow disease and *Flavescence Dorée*, mycoplasmalike organism association, analysis and detection, 772
—yellows: detection methods, 915; detection with polymerase chain reaction, 242A; mycoplasmalike organism association, molecular detection, 1130
Graves, C. H., Jr., 1377A
Graves, M. V., 1361A
Graves, W. R., 1344A, 1372A
Gravois, K. A., 1336A
Gray, F. A., 691A
Gray, S. M., 716, 1293, 1355A, 1356A, 1403A
Grebus, M. E., 1406A
Green, F., 886A
Green, R. J., 692A
Greer, C. A., 1337A
Grehan, J. R., 241A
Greico, P. D., 1350A
Gremmeniella spp.
—*G. abietina*, race identification, RAPD markers, 244A
—*G. laricina*, on larch, damage from, 245A
Grey, W., 283
Griffin, G. D., 692A
Griffin, J. L., 1343A, 1376A
Grinberg, S., 1354A
Groff, D. W., 1425A
Gross, D. C., 1383A
Gross, P. L., 884A
Groth, J. V., 1353A
Grumet, R., 1414A
Gubler, W. D., 1371A
Gudmestad, N. C., 157, 243A, 886A
Guerber, J. C., 1199, 1412A
Guevara, J., 1409A
Guglielmoni, M. B., 243A
Guillaumes, J., 533
Gulya, T. J., 692A
Gumpertz, M. L., 1387A
Gumpf, D. J., 1373A
Gundersen, D. E., 834, 1400A
Guo, B. Z., 1417A
Guo, J. R., 915
Guo, Y. H., 242A, 243A, 915, 1341A
Gupton, C. L., 468A
Guthmiller, M., 1352A
Guthrie, P. A. I., 1353A, 1365A
Gutierrez, W. A., 1408A
Guzman Barney, M., 1403A
Gwinn, K. D., 1400A, 1419A
Gypsophila paniculata, gall formation in, bacterial cause, 234

Habera, L. F., 1426A
Hadden, K., 1425A
Hadidi, A., 591, 1378A
Hadwiger, L. A., 1369A
Hagan, A. K., 1337A, 1340A
Hagedorn, C., 697A
Hagood, E. S., Jr., 695A
Hajela, N., 1411A
Hajela, R. K., 1411A
Halik, S., 241A, 242A
Halisky, P. M., 242A
Hall, J. M., 1356A, 1374A
Hall, J. S., 884A, 1425A
Hall, R., 246A, 247A
Hallett, S. G., 1366A
Hamelin, R. C., 140, 242A, 388
Hamer, J. E., 1427
Hamilton, R. I., 949
Hammerschmidt, R., 1414A
Hammond, J., 1349A
Hammond, R. W., 834, 1400A
Hampton, R. O., 696A
Hanmer, D. R., 1344A
Hanna, H. Y., 1333A
Hanna, W. W., 1395A
Hansen, L. N., 1394A
Hanson, L. E., 1355A
Hanson, S. F., 181
Hara, H., 1385A
Harder, D. E., 884A

Harman, G. E., 302, 308, 313, 721, *1263*
Harper, K., 1401A
Harris, D. L., 328
Harrison, S. A., 1387A
Harrison, U. J., 1419A
Hartman, G. L., 1343A
Hartwig, R. O., 1393A
Hartzog, D., 1340A
Harveson, R. M., 1216, 1220
Hatfield, J. L., 886A
Hatziloukas, E., 965, 1342A
Hau, B., 928, 933
Hausbeck, M. K., 1344A
Hayashi, N., 1411A
Hayes, C. K., 302, 308, 313, 721, *1263*
Hayes, P. M., 1353A
Haygood, R. A., 1337A, 1339A, 1370A
Heath, M. C., 224
Hegwood, C. P., Jr., 1408A
Hein, M. B., 1422A
Heiny, D. K., 1348A, 1415A
Hellier, B. C., 692A
Hellwald, K.-H., 1349A
Hemming, B. C., 1342A
Hendrix, F. F., 1377A
Hendson, M., 691A, 1460
Henson, J. M., 283, 414
Herr, L. J., 1342A
Herrera-Estrella, L., 514
Hess, N. J., 1411A
Heterobasidion annosum, on pine, infection dynamics in California, 1363A
Hewings, A. D., 884A, 1388A, 1420A
Hibino, H., 655
Hickey Tiani, C. M., 1374A
Hidayat, S. H., 181
Hiebert, E., 1355A, 1372A, 1422A, 1425A
Highley, T., 1407A
Hightower, R. C., 1422A
Hikota, T., 1449
Hill, J. H., 1339A, 1363A
Hill, J. P., 690A, 1335A, 1337A
Hillman, B. I., 246A
Hinkens, E., 1359A
Hinkle, C. C., 1369A
Hinton, D. M., 1406A
Hinz, S. E., 884A
Hipskind, J., 1380A
Hirsutella rhossiliensis
—isolate variation, 1373A
—nematode affected by, pellet formation, 1348A
Ho, M. C., 1369A, 1422A
Hoagland, R. E., 1385A
Hobbs, H. A., 1363A
Hodge, C., 466A
Hodge, N. C., 733, 1341A, 1405A
Hohn, T., 1382A
Hohn, T. M., 1416A
Hoitink, H. A. J., 1365A, 1406A
Holcomb, G. E., 1338A
Holcomb, M., 1418A
Hongqin, M., 1377A, 1378A
Hood, M., 1423A
Hooker, M. E., 1378A
Hopkins, D. L., 466A, 1097, 1105, 1399A
Hopkins, M. S., 696A
Hoplolaimus magnistylus, on cotton, chemical management, 1400A
Horst, R. K., 127, 246A
Hotchkiss, M. W., 1377A, 1409A
Hovmøller, M. S., 253
Howd, D. S., 1372A, 1399A
Howell, C. R., 1340A
Howell, M., 1404A, 1416A
Hoyos, G., 1421A
Hsu, H. T., 662, 1402A
Hu, A., 1366A
Hu, C. C., 1374A
Hu, J. S., 1357A, 1372A
Huang, H. C., 937
Huang, Y., 1333A
Hubbard, J. C., 1363A
Hubbard, J. P., 1425A
Huber, D. M., 1342A
Hudelson, B. D., 430, 1368A
Huettel, R., 1373A
Hughes, G., 759, 1362A
Hulbert, S. H., 97, 1413A
Hung, Y. C., 466A, 1367A
Hunger, R. M., 548, 883A, 1371A, 1391A
Hussain, S., 1384A
Hussey, R. S., 1343A, 1366A
Hwang, I., 1404A
Hyphoderma spp., nematophagous biocontrol, 1015
Hypoxylon spp.
—*H. atropunctatum*, on oak, early infection, 1412A
—*H. mammatum*, on aspen, ascospore infection and drought stress, 247A

Iannelli, D., 1178
Ibrahim, G. H., 1335A
Ibrahim, T. F., 1392A
Idris, A. M., 692A
Ikie, F. O., 1363A
Ilarvirus, taxonomy, molecular appraisal, 1361A
Iles, J. K., 1410A
Illman, B. L., 1364A
Impatiens necrotic spot virus
—temperature effect on passaging, 662
—variance of, 1402A
Indiogine, S. E., 1406A
Ingham, R. E., 693A
Inglis, D. A., 1344A
Inoue, S., 1380A
Integrated pest management, teaching, tactical teams, 1397A
Isakeit, T., 1368A
Ishihara, M., 1411A
Ishimaru, C. A., 1339A, 1381A, 1406A
Ish-Shalom-Gordon, N., 1250
Israel, H. W., 246A
Itnyre, R. L., 884A, 1388A
Itoh, Y., 495
Ivanov, I., 1309
Iverson, K., 885A
Ivors, K. L., 1411A
Iwanami, S., 786

Jabaji-Hare, S. H., 864
Jackson, A. O., 1361A
Jackson, K. E., 466A, 1365A
Jackson, L. E., 1363A
Jacobi, J. C., 1340A
Jacobi, V., 1351A
Jacobi, W. R., 630, 638, 1365A, 1411A
Jacobs, K. A., 1352A
Jacobsohn, R., 1250
Jaffee, B. A., 1348A, 1373A
Jaime-Garcia, R., 1396A
Jakobek, J. L., 1380A, 1395A
Jakstys, B. P., 1402A
James, R. V., 1389A
Janisiewicz, W. J., 1417A
Janke, R. R., 1420A
Jansen, J., 568
Jansson, H.-B., 1397A, 1484
Jasalavich, C., 1330A
Jaynes, J., 1395A
Jeffers, D. P., 645, 1395A
Jellison, J., 1410A
Jenco, J. H., 806
Jenkins, J. N., 1400A
Jennings, P. L., 1400A
Jenns, A. E., 1380A
Jensen, S. G., 884A, 1396A, 1425A
Jin, H., 1343A
Jin, Y., 230, 883A, 884A, 1336A, 1387A
Johnk, J. S., 278
Johnson, A. S., 1334A
Johnson, D. R., 953, 1406A
Johnson, G., 1373A
Johnson, G. A., 1368A, 1411A
Johnson, G. R., 1413A
Johnson, K. B., 478, 763, 995, 1383A, 1390A, 1391A
Johnson, L., 1344A
Johnson, R. R., 1363A
Johnston, A. L., 1387A
Jones, A. L., 850, 1363A, 1371A, 1378A, 1386A, 1416A
Jones, H. L., 1364A
Jones, J., 1424A
Jones, J. B., 551, 733, 1341A, 1394A, 1405A
Jones, J. P., 1352A, 1388A
Jones, K. J., 1337A, 1409A
Jones, M. J., 366, 1343A
Jones, R. K., 278, 854, 1404A, 1420A
Jones, R. W., 1423A
Jones, S. S., 1414A
Jordahl, J. G., 884A, 1358
Jordan, R., 1349A, 1424A
Jordan, R. L., 1421A
Joy, A. E., 1407A
Juglans cinerea (see also Walnut)
—canker, incidence in Wisconsin, 1352A
Juzwik, J., 1411A

Kado, C. I., 1360A
Kadooka, C. Y., 1385A, 1410A
Kaiser, W. J., 692A, 1374A
Kao, K., 883A
Kaper, J. M., 405, 696A
Kaplan, D. T., 1171, 1360A
Kaplan, I. B., 1349A, 1350A
Karyala, S. V., 1360A
Katan, J., 68
Katan, T., 1478
Kato, S., 786
Kaufmann, P., 1398A
Keates, S. E., 1346A
Keen, N. T., 1333A
Keinath, A. P., 1344A, 1393A
Kelley, W. D., 1352A, 1364A
Kelly, E. F., 1411A
Kelly, R. O., 551
Kelly Cartwright, D., 1383A, 1384A
Kempf, H.-J., 213
Kenaf
—phytoalexins from, toxicity, 1380A
—resistance evaluation of seedlings, 1376A
Kendig, S. R., 1396A
Kenerley, C. M., 1399A
Kennedy, B. S., 1420A
Kennedy, M. J., 1376A
Kent, S. J., 466A
Kenyon, L. H., 1378A
Keppenne, V. D., 1414A
Ker, K., 246A
Kerby, K., 1335A
Kerr, A., 676
Kerr, E. D., 1385A
Kettle, K., 1339A
Khan, A., 885A
Khan, A. J., 1351A
Khan, V. A., 465A, 468A
Killebrew, J. E., 1408A
Kim, C. H., 1349A
Kim, D. H., 91, 692A, 1209
Kim, D.-S., 1406A
Kim, J. W., 1357A, 1361A
Kim, K. D., 1342A
Kim, K. H., 1350A
Kim, K. S., 1335A, 1375A, 1402A, 1403A, 1412A
Kim, Y. H., 1335A
Kinard, G. R., 1402A

King, P. S., 1351A, 1417A
Kingsbury, D. T., 1400A
Kingsland, G., 466A
Kinkel, L. L., 1391A, 1404A, 1407A, 1420A
Kinney, P. M., 1420A
Kirkpatrick, B. C., 1341A, 1399A
Kirkpatrick, T., 1333A
Kistler, H. C., 113
Kitten, T., 1359A
Kitto, S. L., 1421A
Klein-Gebbinck, H. W., 1182
Klessig, D. F., 1021
Klich, M. A., 1346A
Kloepper, J. W., 1339A, 1340A, 1348A, 1360A, 1400A, 1404A, 1418A, 1419A
Klopfenstein, N. B., 1412A
Klotz, M. G., 1379A
Kluepfel, D. A., 1240, 1245, 1367A
Knievel, D. P., 1394A
Knorr, D. A., 1397A
Knudsen, G. R., 265, 1383A, 1419A
Ko, M. P., 1367A
Kobayashi, D. Y., 243A, 247A, 1337A, 1365A, 1406A
Kodama, M., 495
Koehler, K. J., 1391A
Koenraadt, H., 850
Koganezawa, H., 655
Kohmoto, K., 495
Koike, S. T., 1345A, 1356A, 1363A, 1420A
Koiwai, A., 411
Kokalis-Burelle, N., 1417A
Kokko, E. G., 976
Kok-Yokomi, M. L., 1392A
Kolb, F. L., 1420A
Köller, W., 113
Kolmer, J. A., 885A, 909
Kominato, M., 405
Komiya, T., 542
Kondoh, Y., 495
Kousik, C. S., 1359A
Kozub, G. C., 937, 976
Kramer, C. L., 1390A
Kranz, J., 1182, 1223
Krause, C. R., 1351A
Kremer, Y., 1235
Kruger, B. M., 247A
Krüger, J., 533
Krupinsky, J. M., 1335A
Kuc, J., 467A, 906, 1379A
Kucharek, T., 466A
Kuhl, M., 1412A
Kummuang, N., 1377A
Kurdyla, T., 1365A
Kurtzman, C. P., 1354A
Kushalappa, A. C., 241A, 338, 1036
Kusiak, C., 818
Kuti, J. O., 1416A
Kuwata, S., 411
Kuykendall, L., 1419A
Kuznia, R. A., 1393A, 1419A
Kyle, M. M., 1357A, 1372A, 1396A
Kyuda, T., 1449

Lackey, B. A., 1348A
Laemmlen, F. F., 692A
Lakshman, D. K., 1424A
Lamb, T. G., 1367A
Lamberts, M., 1372A
Lamison, C. D., 1378A
LaMondia, J. A., 365, 1377A, 1408A
Lane, L. C., 466A
Langenberg, W. G., 1422A
Langham, M. A. C., 1421A
Larkin, R. P., 1097, 1105, 1312, 1368A, 1391A
Larsen, R. C., 1374A
Lartey, R. T., 466A
Lastra, R. J., 1375A, 1403A
Latham, A. J., 1343A, 1371A
Latin, R. X., 1340A, 1389A
Lau, C. W., 375, 1093
Laurence, J. A., 1258
Lavigna, A. S., 1397A
Lawrence, G. W., 1400A, 1417A
Lawrence, J., 1367A
Lawson, R. H., 662, 1402A
Leach, S. S., 1408A
Lear, M. M., 1343A
Lease, R. J., 1385A
Leath, K. T., 80, 1394A
Leath, S., 557, 1336A, 1387A
Leavitt, G. M., 1371A
Lee, B., 976
Lee, F. N., 1029, 1336A, 1413A
Lee, H. S., 1204
Lee, I.-M., 621, 696A, 772, 829, 834, 1008, 1130, 1400A
Lee, R. F., 1362A, 1373A, 1375A, 1378A, 1403A
Lee, S., 1334A
Lee, S. B., 177
Lee, Y.-A., 1460
Lee, Y.-H., 1334A, 1369A
Legard, D. E., 1334A
Leggett, F., 991
Leimgruber, W., 692A
Leite, B., 1336A
Leite, R. M. V. B. C., 1399A
Leite, R. P., Jr. 1359A
Lemaux, P. G., 1374A
Lenardon, S. L., 86
Leonard, K. J., 593
Leptographium abietinum, bark beetle association, hypersensitivity, 1364A
Leptosphaeria spp.
—*L. korrae*, on bluegrass, cultivar growth, 694A
—*L. maculans*: ascospore discharge on stubble of rapeseed, 246A; chromosome size polymorphism in, 503
Leslie, J. F., 1413A
Lespinasse, Y., 533
Letters to the Editor
—fungal vector relationship, persistence, 363
—mycoherbicide effectiveness, epidemiological mechanisms, 891
—pathogenicity and virulence nomenclature, 889
Lettuce
—internal rib necrosis, bacterium involvement, 692A
—lettuce drop of, pathogen survival, 509
—*Meloidogyne hapla* on, population density in organic soil, 248A
—*Plasmopara* on, resistance and callose, 1498
Lettuce mosaic virus
—alternate host in California, 1420A
—molecular characterization, 1356A
Leuconostoc mesenteroides, on tomato, postharvest pathogen, 1354A
Leung, H., 393, 1415A, 1489
Lévesque, C. A., 693A
Levy, L., 1378A
Levy, M., 1427
Lewandowski, D. J., 1349A
Lewis, J., 886A
Lewis, S. A., 464A
Leyva M., G., 1387A
Li, K.-N., 1370A, 1423A
Li, Q., 1425A
Li, T. Y., 1359A
Li, X., 466A, 1365A
Liang, L. Z., 1416A
Liao, C.-H., 813
Liddell, C. M., 1333A, 1334A, 1362A, 1372A, 1389A, 1406A, 1414A
Liebman, J. A., 1368A
Liljeroth, E., 1397A, 1484
Lily, basal rot, resistance determination, 568
Lim, S. M., 659
Lin, B. Z., 885A
Lin, C. P., 671
Lindgren, P. B., 1380A, 1395A
Lindow, S. E., 117, 1339A, 1341A, 1342A, 1404A, 1460
Line, R. F., 382, 1414A, 1415A, 1416A, 1489
Liou, J. Y., 1015
Lipari, S. E., 563
Lipps, P. E., 217, 438, 1335A, 1387A
Lister, R. M., 1421A
Liu, H.-Y., 1421A
Liu, L., 1340A
Liu, Z. L., 887A, 1369A, 1423A
Liyanage, H. D., 113
Locci, R., 602
Lockaby, B. G., 1364A
Locke, J. C., 695A, 1337A
Loeffler, K., 1417A
Löffler, H. J. M., 568
Loi, N., 915
Lollium rigidum, ryegrass toxicity to livestock, bacteriophage, 676
Lommel, S. A., 1350A
Long, D. L., 1381A
Loniello, A. O., 1372A
Loper, J. E., 478, 995, 1223, 1383A
Lopes, S. A., 1398A
Lorbeer, J. W., 241A
Loria, R., 1355, 1360A
Lorito, M., 302, 308, 313, 721, *1263*
Lotus corniculatus, shoot architecture and infection, 1358A
Loughin, T. M., 1391A
Louie, R., 1356A
Lovic, B. R., 466A, 467A, 1347A
Lucas, L. T., 1338A, 1398A
Lucas, P., 260, 1418A
Lucerne transient streak virus, satellite RNA homology, 1309
Lumsden, R. D., 1040, 1366A
Lundquist, J. E., 1411A
Lusso, M., 1379A
Lyda, S. D., 1368A, 1420A
Lydon, J., 1379A
Lyon, H. H., 1417A
Lythrum salicaria, fungi as mycoherbicides, 1366A
Lytle, F. E., 1342A

Mabagala, R. B., 1341A
Mace, M. E., 1380A
MacFall, J. S., 1368A, 1411A
MacGuidwin, A. E., 1342A
MacHardy, W. E., 247A
Macko, V., 1380A
Macksel, M., 242A
MacNish, G. C., 922
Macrophomina phaseolina
—endoglucanase, cloned, 1423A
—microsclerotia, in soil, spatial dynamics, 1434
—sclerotial production, water potential, 1394A
—on sorghum, herbicide effect, 1376A
Madden, L. V., 217, 1362A, 1365A, 1390A
Madden, V., 759
Magee, J. B., 468A
Magill, C. W., 91, 1209
Magnaporthe spp.
—*M. grisea*: appressorium-deficient mutants, 1334A; DNA fingerprinting, 1413A; on rice, gene interaction, 375; on rice, genetic analysis of isolate, 1334A; on rice, microgeographic variation in populations, DNA fingerprinting, 1029; spore adhesion and appressorium formation, 1333A; subunit genes in, characterization, 1369A; virulence, genetic analysis of mutations,

1093
—*M. poae*, bacteria antagonistic to, 1365A
Magnetic resonance microscopy, root growth study, 1368A
Mahadevappa, M., 885A
Mahaffee, W. F., 1120, 1360A, 1419A
Mahmood, T., 1375A, 1403A
Mai, W. F., 1417A
Maize (see Corn)
Maize chlorotic dwarf virus
—leafhopper probing behavior, 522
—transmission in corn kernels, 1356A
Maize dwarf mosaic virus, serological differentiation of strains, 86
Makowski, R. M. D., 1229
Malek, C. J., 1342A
Malinoski, M. K., 1397A
Maltby, A. D., 1359A
Malus spp. (see also Apple)
—copper hydroxide spray, electron beam analysis, 1351A
Malva pusilla, anthracnose, biocontrol, 1229
Manion, P. D., 247A, 1351A
Manjunath, K. L., 1403A
Manohar, S. K., 129
Manulis, S., 234
Manuscript preparation, author's guide, 4
Mao, W., 696A, 1407A
Maple
—sapwood, injury and infection, 1412A
—sugar, annual canker, geography, 1364A
Maramorosch, K., 128
Maratos, M. L., 1421A
Marchetti, M. A., 1029
Marcon, A., 1396A
Marlatt, M., 1345A
Marois, J. J., 624, 1337A, 1348A, 1371A, 1378A, 1440
Marsh, L. E., 1349A
Martin, B., 467A
Martin, C. R., 691A
Martin, F. N., 1097, 1105, 1369A, 1423A
Martin, R., 991, 1426A
Martin-Duvall, T. M., 1371A
Martinez, J., 1412A
Martinez-Miller, C., 1405A
Martinson, C. A., 153, 1358A, 1370A, 1393A
Martyn, R. D., 91, 466A, 467A, 1209, 1347A
Mason, P. A., 885A
Masuta, C., 411
Matejka, J. C., 1350A
Matheron, M. E., 1350A
Mathieu, D., 1036
Mathre, D. E., 283
Matthews, P. S., 691A
Mäurer, R., 971
Maw, B., 466A, 1367A
Maxwell, D. P., 181, 709, 1350A, 1372A, 1402A
Mazzola, M. M., 1333A
McBeath, J. H., 1333A, 1348A, 1363A
McBlain, B. A., 473
McCallum, B. D., 1353A
McCallus, D. E., 813
McCarter, S. M., 467A
McCarthy, M. K., 1381A
McCarty, J. C., Jr., 1400A
McCay-Buis, T. S., 1342A
McClure, M. A., 1338A
McCormick, S. P., 164, 1416A
McCracken, F. I., 1412A
McDaniel, L. L., 1421A
McDaniel, R. G., 1368A
McDonald, B. A., 1148, 1353A, 1353A
McElreath, S. D., 1392, 1393A
McFadden-Smith, W., 246A
McGarvey, P. B., 696A
McGee, D. C., 1363A, 1386A, 1394A
McGovern, R. J., 1355A, 1388A, 1395A
McGrath, M. T., 246A, 696A, 697A, 1389A
McInnis, T. M., 1240
McInroy, J. A., 468A, 1351A
McKenry, M. V., 1377A
McKern, N. M., 355
McLaughlin, M. R., 1421A
McLaughlin, R. J., 995
McLean, K. S., 1400A
McManus, P. S., 1363A
McMaster, J. R., 1425A
McMillan, R. T., Jr., 113, 1344A, 1372A
McMullen, M. P., 885A
McNew, R. E., 1190
Medicago truncatula, nodule formation, peroxidase gene in *Rhizobium*, 1416A
Meinhardt, S. W., 885A
Melakeberhan, H., 1378A
Melampsora medusae
—epidemiology, 140
—on poplar, ultrastructural morphology, 885A
Melcher, U., 465A, 466A, 468A, 469A, 1400A
Meloidogyne sp.: in coffee, temporal and spatial distribution, 1373A; crop rotation and nematicide effect, mixed population, 350; identification, polymorphic chain reaction for, RAPD markers, 76
—*M. arenaria*, DNA probes specific to, 464A
—*M. hapla*, on soybean, plant introduction, 1376A
—*M. incognita*, on cotton, Fusarium wilt complex, factors, 645; on cotton, resistance and post-infection development, 1400A; parasitism and esophageal gland antigens, 1366A; tomato resistance *Mi* gene, stable virulence, 803
Melouk, H. A., 466A, 1358A, 1365A
Menge, J. A., 767, 1348A
Menzies, J. G., 242A
Mercier, J., 1357A, 1417A
Mercure, E., 1336A
Merrill, W., 246A, 248A
Mertely, J. C., 467A
Mester, E. H., 1426A
Metzler, M. C., 249A
Meyer, S., 1373A
Michailides, T. J., 145, 527, 1454
Mickler, C. J., 1348A
Miedaner, T., 1071
Mihail, J. D., 1359A
Mihm, J. A., 1395A
Milgroom, M. G., 563, 1076
Milholland, R. D., 538, 1408A, 1409A
Miller, D. E., 885A
Miller, F. R., 490
Miller, K. J., 1342A
Miller, M. E., 466A, 467A, 1347A
Miller, O. K., 1336A
Miller, R. V., 1381A
Miller, S. A., 1388A
Millet, pearl, rust resistance, yield and quality, 1395A
Millett, S., 467A
Mills, D., 1416A
Milus, E. A., 1370A, 1387A
Mims, C. W., 843
Minsavage, G. V., 551, 1341A, 1399A
Mintz, A. S., 696A
Mircetich, S. M., 744
Mirocha, C. J., 1418A
Misaghi, I. J., 692A
Mischke, C. F., 1379A
Mishra, A., 355
Mishra, A. N., 1357A
Mitchell, D. J., 1162, 1171, 1388A
Mitchell, K. D., 1339A
Mitchell, T. K., 1369A
Mitlehner, A. W., 696A
Mittal, S., 1414A
Moar, W., 1360A
Models
—bacterial brown spot, snap bean, 430
—BLOTCHCAST, peanut web blotch, 1362A
—cherry brown rot, germination factors, 1321
—microflora and microfauna in soil, organic matter decomposition, 1367A
—*Septoria* on soybean, temperature and leaf wetness effect, 941
—synergism and antagonism of spores, multiple infection transformation and probability, 1051
—virus epidemic, arthropod vectored, 1269
Mogen, B. D., 696A, 1130
Moldenhauer, K. A. K., 1336A
Moline, H. E., 1416A
Mondjana, A. M., 1302A
Monilinia spp.
—*M. fructicola*: cutinase, purification, 1382A; on sour cherry, humidity and wet period relation, 245A
—*M. laxa*, spore germination, temperature and moisture effects, 1321
Monks, D. E., 468A, 1405A
Monllor, A., 690A
Monosporascus spp., ribosomal transcribed spacer regions, 1347A
—*M. cannonballus*: on cucurbitaceae, susceptibility in field, 467A; on muskmelon, pathogenicity, 466A; synonymy with *M. eutypoides*, 1347A
Montana, J. R., 1371A
Montasser, M. M., 696A
Moody, E. H., 467A
Moore, J. D., 464A
Moorman, G. W., 1385A, 1404A
Mora-A., G., 1392A
Morales, F. J., 181, 1372A
Morales, V., 503, 1370A
Morelock, T. E., 1190, 1345A, 1403A, 1410A
Morgan, D. P., 145, 1454
Morgan-Jones, A., 468A
Morrall, R. A. A., 682
Morris, B. M., 877
Mort, A. J., 344
Moyer, J. W., 1355, 1356A, 1374A
Muehlbauer, F. J., 612
Muldoon, A. E., 1348A, 1373A
Mullen, J. M., 1337A
Mullin, B. A., 1375A, 1376A
Mullin, P. G., 1417A
Munk, L., 253
Munkvold, G. P., 624, 1440
Murphy, J. F., 1357A, 1372A, 1396A
Murray, T. D., 1357A, 1367A
Muskmelon, wilt, new race, 1344A
Musselman, C. A., 1406A
Musson, G., 1404A
Muyolo, N. G., 438
Mycoherbicide, effectiveness in epidemiological mechanism, letter to editor, 891
Mycoparasitism, *Trichoderma harzianum* and *Rhizoctonia solani*, ultrastructure, 1062
Mycoplasmalike organisms
—on ash, detection in Arizona, 690A
—aster yellows, antigen association, 1279
—classification and identification, universal amplification and analysis, 834
—clover phyllody, monoclonal antibodies for, 1341A
—detection and identification, PCR method, cluster-specific, 1008
—detection using PCR, 786
—on elm, alder, and ash, genetic relatedness in Europe and North America, 971
—grapevine yellows: association, molecular

detection, 1130; detection methods, 915
—immunological and molecular grouping, grapevine, 1340A
—monoclonal antibodies for, sweetpotato witches' broom association, 671
—nonvector insect for detection, PCR use, 621
—oligonucleotide probes for, PCR application, 602
—PCR technique, 1378A
—pear decline and peach yellow leafroll, in California, 1341A
—phylogenetic analysis, 1400A
—for plant and insect association, 1400A
—on *Ulmus* spp., genetic relatedness, DNA probe and PCR for detection, 829
—western aster yellows, plasmid elimination by heat, 1341A
Mycorrhizae
—arbuscular, aluminum effect, 1398A
—vesicular-arbuscular, tillage and farming system effects, 1420A
Mycosphaerella graminicola, geographic populations, gene flow between, 1148
Mycotoxins
—fumonisin, production in synthetic media, 1418A
—gliotoxin, combination with endochitinase, 308
—inhibition, chitinolytic bacteria, 1360A
Myers, L. D., 548
Myhre, D., 1409A
Myzus persicae, potato leafroll virus vector, epitope of viral capsid relation, 1125

Nadeem, A., 692A
Naderi, M., 693A
Nakajima, M., 1449
Nakatsuka, S., 495
Nakayama, M., 542
Namba, S., 786
Nance, W. L., 388
Nankam, C., 1389A
Nass, P. H., 1402A
Nassuth, A., 206
Natsuaki, T., 405
Nault, L. R., 522
Ndowora, T. C. R., 1404A
Nectria spp., genetic studies, polymerase chain reaction, 242A
—*N. haematococca*: gene pathogenicity loss, 691A; *Pda*1 gene, transcription analysis, 1423A
Neher, D. A., 1373A
Nelsen, T. C., 1141
Nelson, C. D., 388, 1415A
Nelson, D. M., 1424A
Nelson, E. B., 1366A
Nelson, M. R., 692A
Nelson, P. E., 127
Nelson, R. J., 393
Nelson, R. S., 1361A, 1422A, 1426A
Nelson, S. C., 288, 419, 1362A
Nelson, S. J., 1391A
Nematicide
—1,3-dichloropropene, *Meloidogyne* affected by in mixed population, 350
—thymol, soil microflora effect, 468A
Nematodes
—fungi infecting or trapping, 1015
—monoterpenes for control, 1351A
—pictorial key to genera, 1417A
—pine bark effect, 1417A
—regional community structure, variance in monitoring, 1373A
Nematology, founding, Cobb at Bureau of Plant Industry, 697A
Nemec, S., 1406A, 1409A
Nephotettix virescens, tungro virus vector, PCR for detection, 655
Nesmith, W. C., 467A, 469A, 1369A
Nester, S. E., 1381A
Neucere, J. N., 1415A
Neurospora crassa, benomyl resistance in, diethofencarb sensitivity, 850
Newman, D., 1418A
Niblack, T. L., 1376A
Niblett, C. L., 1362A, 1375A, 1403A, 1422A
Nicholson, R. L., 1336A, 1380A
Niderman, T., 1054
Nielsen, J., 1419A
Nielsen, M. T., 1420A
Nieto-Angel, D., 1393A
Nirenberg, H., 1346A
Nishimura, S., 495
Nolte, P., 885A
Nony, E., 1416A
Nooruddin, L., 1425A
Norelli, J., 1395A
Noviello, C., 1178
Nuclo, R. L., 1365A
Nunez, J. J., 1345A
Nus, A., 371
Nutter, F. W., Jr., 806, 886A, 1358A, 1363A, 1370A, 1391A
Nyochembeng, L. M., 1343A
Nyvall, R. F., 1366A

O'Donnell, K., 1346A
Oak
—cork, water stress, decline fungi, 1352A
—oak wilt, infection center, 1397A
Obanni, M., 1380A
Obituaries
—Salvatore A. Alfieri, Jr., 701
—Robert S. Dickey, 127
—Teikichi Fukushi, 128
—Paul George Rothman, 592
—Russell L. Steere, 591
—Gordon S. Taylor, 365
Ocamb, C. M., 1411A
Ocimum basilicum, Fusarium wilt, etiology, 1344A
Ogawa, J. M., 690A, 1354A
Ohm, H., 1414A
Okuno, T., 542
Okusanya, B. A., 1401A
Olah, A. F., 1486A
Olanya, O. M., 1363A
Olaya, G., 1394A
Oleson, A. E., 243A, 884A, 887A
Olson, B., 1460
Omdal, D. W., 1365A
Omura, T., 655
Onion
—Fusarium basal rot, fungicides for, 694A
—postharvest decay, bacterial microflora, 466A
—root diseases and soilborne fungi, control, 1367A
Onks, D. O., 1392A
Onsurez, K., 1333A, 1414A
Ooka, J. J., 1367A
Ophel, K. M., 676
Ophiosphaerella herpotricha, identification, cloned DNA probes, 97
Ophiostoma piliferum, on wood, biocontrol, 1351A
Ophir, Y., 234
Opperman, C. H., 1360A
Opperman, C. O., 1423A
Orobanche cumana, on sunflower, resistance inheritance, 1250
Orr, D. W., 38
Orth, C. E., 1358A
Osborn, T. C., 1395A
Osler, R., 772, 915
Ospina, M. D., 1373A
Østergård, H., 253
Ostry, M. E., 1415A
Otani, H., 495
Otrosina, W. J., 1364A
Ouellet, T., 1003
Ownley, B. H., 1392A
Oyaizu, H., 786
Ozone
—on hardwoods, occurrence in Virginia, 244A
—on pea, powdery mildew interaction, 1258

Pacumbaba, R. O., Jr., 467A
Pacumbaba, R. P., 1343A
Padgett, G. B., 1407A
Paecilomyces lilacinus
—biocontrol of poinsettia stem rot, 1384A
—on fig, factors, 1454
Pair, S. D., 464A, 465A, 468A
Paiva, N. L., 1383A
Palmer, H., 607
Palmer, L., 1349A
Palukaitis, P., 1349A, 1350A, 1361A, 1424A
Pan, S. Q., 906
Pang, S.-Z., 728
Panopoulos, N. J., 965, 1342A
Paplomatas, E. J., 1350A
Pappu, H. R., 1362A, 1375A, 1403A
Pappu, S. S., 1362A, 1375A, 1403A, 1422A
Parisi, L., 533
Parke, J. L., 1366A, 1368A, 1407A, 1466
Parker, B. L., 241A
Parker, S. P., 1391A
Parsley, Septoria blight, photocarcinogenic furocoumarins, 1356A
Parsons, A., 1369A
Parsons, C. E., 1370A
Partridge, J. E., 1404A, 1425A
Passiflora spp., potyviruses from, characterization, 1422A
—*P. edulis*, virus of, whitefly-transmitted, 690A
Pataky, J. K., 885A, 1046, 1389A
Patel, M. V., 467A
Patel, V. P., 1350A
Pathogenicity, nomenclature, letter to editor, 889
Patil, S. S., 1360A, 1383A
Paul, R. N., 1354A
Paul, S., 246A
Paulitz, T., 243A, 247A, 872
Paulsrud, B. E., 886A
Payne, G. A., 1369A, 1370A
Payne, S. R., 1341A
Pea
—damping-off: bacterial seed treatment, 1466; pyrrolnitrin effect, 1366A; *Trichoderma* as biocontrol agent, 1347A
—pisatin, host DNA role, 1369A
—powdery mildew and ozone interaction, 1258
—spermosphere, plasmid transfer, 1383A
—*Trichoderma harzianum* in rhizosphere of, *Pseudomonas* effect, 265
Pea enation mosaic virus
—genomic RNAs, characterization, 1350A
—satellite RNA, replicative dependence, 1424A
Pea mosaic virus
—on arrowleaf clover, field test, 467
—coat protein in strains, sequence relations, 355
—severe strain in Washington, 1374A
Peach
—*Botryosphaeria dothidea* on bark of, seasonal infection, 825
—Phomopsis fruit rot, in Arkansas, 465A
—replant problems, soil drenching device, 1377A
—soils of, bacteria-suppressing nematode, 1240
Peanut

—aflatoxigenic fungi in, biocontrol, 1348A
—Cercospora leaf spot, fungicide advisory program, 195
—disease control with iprodione, 1371A
—foliar and soilborne diseases, fungicides, 1340A
—late leaf spot of, resistance evaluation, 1376A
—*Sclerotium rolfsii* on, management in spray regime, 464A
—shell mycobiota, chemical treatments, 464A
—soilborne diseases, cropping frequency effect, 1340A
—spotted wilt, disease progress, 1386A
—tomato spotted wilt virus of, 465A
Peanut chlorotic streak virus, new caulimovirus, in India, 129
Peanut mottle virus, propagating in tissue culture, 1401A
Pear
—black spot, toxicity and sporulation pattern, 1413A
—fire blight: bacterial antagonists, 1383A; bee dispersal of pathogen, 478; biocontrol, 117; honey-dispersed bacteria, 995
—fruit wound infection, hydrostatic pressure, 1083
Pearson, R., 915, 1377A
Pecan
—anthracnose, cultivar resistance, 1371A
—anthracnose and scab, fungicides for, 1408A
—fungicide removal by rain, 1377A
—leaf and shuck necrosis, *Phomopsis* cause, 1409A
Pedersen, W. L., 884A, 1388A
Pedrosa, E. M. R., 1343A
Peever, T. L., 1076
Peiffer, M. L., 1403A
Pelcher, L., 1370A
Pelletier, J. R., 1386A
Pemberton, I., 467A
Peng, G., 615
Penicillium spp., pentaketide wall-bound pigments, 1346A
Pennington, R. E., 1425A
Pennisetum glaucum, leaf blight, forage yield loss, 739
Pennypacker, B. W., 80, 1394A
Peppermint, Verticillium wilt, factors affecting yield and oil, 691A
Pepper mottle virus
—on *Capsicum*, resistance inheritance, 1357A
—mild strain, induction and role in cross protection, 692A
—occurrence of other viruses in New Mexico, 1372A
—potato virus Y comparison, serology and nucleotide sequence, 1424A
—resistance, 1372A
Pepper tigré virus, on pepper, inoculation by biolistic procedure, 514
Peptidase, microorganism specificity, niches and host-parasite relation, 1342A
Percich, J. A., 1419A
Perez, R., 1355A
Pérez, Y., 466A
Perlin, M., 1422A
Peronospora tabacina
—on tobacco: chitinases and glucanases in lines, 1334A; TMV effect, carbohydrates, 906
Perry, T. J., 1411A
Persaud, R., 1335A
Pesce, A. S., 696A
Peterbauer, C., 313, *1263*
Peters, D., 986, 1125
Peterson, D., 1417A
Peterson, G., 1354A
Peterson, J., 246A
Petrisko, J. E., 1356A
Petrunak, D. M., 695A, 1413A
Petunia, *Botrytis*, bacteria for control, 1406A
Pfender, W. F., 371, 1223, 1288
Pfleger, F. L., 1419A
Phaeotheca sp., antagonist of tree pathogenic fungi, 248A
Phaseolus vulgaris (see also Bean)
—*Bacillus subtilis*, field colonization, 1419A
—bacterial brown spot, spatial pattern modeling, 430
—disease and yield, factors affecting, 1393A
—geminivirus from Brazil, 709
—halo blight, detection using PCR, 965
—hypersensitivity, calcium-binding domains, cDNA library, 1380A
—potyviruses of, genetics, 1396A
—*Rhizoctonia solani* on, anastomosis group and variation, 438
—seedling diseases, control, 1345A
Phialophora malorum, on pear, wound infection, hydrostatic pressure, 1083
Phillips, D. V., 1393A
Phillips, T. D., 1379A
Phipps, P. M., 195
Phlox, powdery mildew, neem seed oil effect, 1337A
Phoma proboscis
—on bindweed, biocontrol effect, 1348A
—on field bindweed, infection histology, 1415A
Phomopsis sp., on red spruce, spruce gall adelgid relation, 241A
—*P. amaranthicola*, on *Amaranthus*, new species, 1385A
Phyllosphere, bacteria on wheat leaves, 134
Phymatotrichum sp., soil chemical properties, 1368A
—*P. omnivorum*, genomic variation, vegetative compatibility groups, 1420A
Phytoalexin, scoparone, resistance induced by, 753
Phytophthora spp.: on apple rootstock, resistance, 744; on citrus, relation to *Fusarium* in root rot, 767; detection, oligonucleotide hybridization and amplified ribosomal DNA spacers, 177; isolate comparison with PCR amplification, 1424A; in vegetable crops, detection by immunoassay, 1388A; zoospores of, electrotaxis mechanism, 877
—*P. capsici*: detection in soil, 1368A; on pepper, biocontrol, 1406A; cuticle and maturation factors, 607; defense response, 1334A; fluazinam effect, 1350A; phenolic production, 1414A; spatial dynamics, 1312, 1391A; wounded roots and chemotaxis, 1333A
—*P. citrophthora*, on citrus, scoparone conferring resistance, factors, 753
—*P. erythroseptica*, on potato, metalaxyl for tolerance, 886A
—*P. fragariae*, on strawberry, susceptible cultivars, 538
—*P. infestans*: A2 mating type, migration and source, 1353A; genetic diversity, DNA polymorphism, 1087; mating type and metalaxyl sensitivity, 1389A; phenotypic populations, in Germany, 319; on potato, late blight forecasts, analysis, 103; on potato and tomato: host specialization, 1334A; on potato and tomato, local and systemic protection, 1054
—*P. parasitica*: in bedding plants, aluminum for control, 1303, 1419A; in citrus rhizosphere, seasonal pattern, 573; on tomato root, organic farm association, 581
—*P. sojae*: pectin lyase in, pathogenicity role, 1382A; races, pure line development, 473; races, RAPD analysis, 1343A; races, RAPD use, 1369A; on soybean, races and virulence, 1353A; on soybean, rate-reducing resistance, modeling, 187
Picea mariana, Botrytis seedling disease, factors affecting, 248A
Piche, C., 246A
Pichë, Y., 248A
Pierce, M. L., 344, 1381A
Pierson, E. A., 1365A
Pierson, L. S., III, 1414A
Pilgeram, A. L., 1370A
Pine
—Fusarium rust, DNA polymorphism detection, 388
—loblolly, Fusarium rust, cyproconazole for, 1352A
—lodgepole: comandra blister rust, growth and survival, 638; comandra blister rust, incidence prediction and factors, 630
—ponderosa, pest interactions and canopy gaps, 1411A
—seedling diseases, antagonists, 1352A
—slash, fusiform rust, genetics, 1415A
—southern, needle cast, 1352A
—white, seedborne *Fusarium* spp., 1411A
Pinkerton, J. N., 1391A
Pinnow, D. L., 696A
Pinnschmidt, H. O., 1182
Pinus strobus
—crown deterioriation, dieback, and mortality, unexplained, 245A
—"Herb's Syndrome," pathological anatomy, 245A
Pirone, T. P., 1374A
Pistachio, panicle and shoot blight, control with irrigation-sprinkler treatment, 145
Pitelli, R. A., 1366A
Pitz, K. Y., 1362A
Plasencia, J., 1421A
Plasmodiophora brassicae, ribosomal DNA, characterization, 1346A
Plasmopara lactucae-radicis, on lettuce, callose and resistance, 693A, 1498
Ploper, L. D., 468A
Pluim, R. A., 1388A
Pohronezny, K., 1406A
Poinsettia
—Rhizoctonia stem rot: biocontrol, 1348A; rooting cube colonization, 1383A
Polashock, J. J., 246A
Polston, J. E., 1355A
Polymyxa spp., molecular analysis, 1370A
—*P. betae*, beet necrotic yellow vein virus vector, inoculation method, 1216
Poplar, transgenic trees, potato proteinase inhibitor gene, 1412A
Poplawsky, A. R., 1404A
Populus tremuloides, Hypoxylon canker, enzyme effect, 1415A
Porchas, M. S., 1350A
Porter, L. L., 246A
Postharvest pathology
—*Diplodia natalensis* on citrus, ethylene, 1204
—fruits and vegetables: bacterial identification, fatty acid composition, 445; hydrogen peroxide effect, 1354A; soft rot bacteria, pectate lyase production, 813
—pear fruit by *Phialophora malorum*, hydrostatic pressure role, 1083
Postman, J., 991
Potato leafroll virus
—agroinfection for study, 1426A
—aphid transmission, epitope of viral capsid, 1125
Potato virus X, Andean isolate, nucleic acid spot hybridization test, 171

Potato virus Y
—passage effect on pathogenicity, 690A
—seed transmission and infection time, 1392A
—in tobacco chloroplasts, transit peptide, 693A
—tobacco necrosis strains, in Florida, 1400A
—in transgenic tobacco, heterologous resistance, 818
Potato
—bacterial ring rot, serological detection, 157
—black scurf, plant destruction effect, 1344A
—dry rot, thiabendazole for, field resistance, 164
—early dying, vegetative compatibility and virulence of pathogen, 1253
—endophytic bacteria from, biocontrol of ring rot, 1406A
—Fusarium dry rot, yeasts for biocontrol, 1354A
—*Fusarium sambucinum* on sterol glycoalkaloids, 1382A
—late blight, forecasts and weather, 103
—*Phytophthora infestans*, local and systemic protection, jasmonic acid and methyl ester, 1054
—*Pratylenchus* and *Verticillium* relation, 1342A
—*Rhizoctonia solani* of, sugar beet host, 1393A
—scab, spatial distribution, 1391A
—scab severity and incidence, cultivar reaction, 695A
—*Sclerotinia* and *Verticillium* on, fungicide for, 691A
—seedpiece decay, factors, 1389A
—sesquiterpene cyclase, genomic sequence, 1382A
—Verticillium wilt: treatment effects, 691A; vascular colonization, 1344A
—virescence agent, leafhopper association, 1399A
—virus interaction, cultivar role, 1420A
Powell, C. A., 1378A
Powell, J. E., 1421A
Powell, W. A., 1369A
Powelson, M. L., 1384A, 1390A
Pratt, R. G., 1396A
Prenger, J., 1423A
Presting, D. B., 35
Presting, O. U., 1367A
Prince, J. P., 696A, 1130
Proctor, R. H., 1416A
Prosen, D., 965
Pryor, A. J., 1413A
Pryor, B., 1345A
Pseudomonas spp.: biocontrol strains, minerals and phenazine gene expression, 1341A; copper resistance, 1449; fluorescent, in solarized soil, suppression of pathogens, 68; *lacZY* modification, competitive ability, 1367A; *Pythium aphanidermatum* affected by, in cucumber rhizoplane, 872
—*P. aureofaciens*: *Criconemella xenoplax* egg hatch inhibited by, 1245; diacetylphloroglucinol synthesis, genetic analysis, 1385A; ice nucleation reporter gene, antibiotic DNA locus, 691A; nematode inhibited by, peach orchard soil, 1240; phenazine antibiotic production, homology, 1414A
—*P. cepacia*: antifungal compound from, genetic analysis, 245A; biocontrol agent, poinsettia stem rot, 1384A; biocontrol agent, secondary metabolite, 1384A; polygalacturonase sequence, characterization, 1381A
—*P. corrugata*, biocontrol agent, 1339A
—*P. fluorescens*: bee dispersal of, to blossoms, 478; biocontrol agent, pear fire blight, 117; on pear, population dynamics, 1339A; pyrrolnitrin production, genomic region, 1223; soft rot of stored fruits and vegetables, pectate lyase production, 813; *Trichoderma harzianum* affected by, in pea spermosphere and rhizosphere, 265
—*P. solanacearum*: flagellin in, tyrosine phosphorylation, 1404A; luciferase labeled, to monitor wilt in potato and tobacco, 1333A; polygalacturonase production, regulators, 1359A; on potato, latent infection, 1378A; race 2, genotypic variation, 1404A
—*P. syringae*: on *Arabidopsis*, coronatine role, 1414A; on barley, characterization, 1405A; on bean, indole-3-acetic acid role, 1333A; on bean, thermal regulation of genes, 1360A; in bean seed, detection using PCR amplication, 965, on bean seed, detection using PCR method, 1342A; in cherry and tobacco, gene cluster organization, 1416A; copper and streptomycin effect on, genetic diversity, 1405A; on cucumber, systemic resistance induction, 1340A; in epiphyte populations, nutrition, 1342A; growth phase and pathogenicity, 1379A; on *Ilex*, leaf spot, 467A; *lemA* gene, extragenic suppressor, 1359A; mannityl opine strains, in tobacco, 1404A; on pear and tomato, bactericide resistance, 468A; phaseolotoxin, nucleotide sequence analysis, 1383A; phytoalexin and defense transcript accumulation analysis, 1395A; race 4, heat stress reponse and DNAK, 1404A; on snap bean, spatial pattern modeling, 430; syringomycin synthesis, 1383A
Puccinia spp.
—*P. carduorum*, on musk thistle, geographic distribution, 695A
—*P. coronata*, host range, 1387A
—*P. grindeliae*, on *Gutierrezia* spp., climatic factors, 1389A
—*P. hordei*, on barley, resistance genes linkage, 230
—*P. jaceae*, on *Centaurea*, biocontrol agent, 894
—*P. recondita*: germ tube growth, wax role, 1381A; populations in Nebraska, 1336A; rust population, gene selection, 909
—*P. sorghi*: on corn, fungicide control in partial resistance, 1046; *Rpl* recombinants, 1413A
—*P. striiformis*: on barley, triazole for, 1335A; races in North America, new, 1416A; virulence association, 1415A; on wheat, chromosomal location for resistance, 1414A; on wheat, resistance inheritance, 382; on wheat, synergism and antagonism, 1051; on wheat, virulence and DNA polymorphism, 1489
—*P. substriata*, on pearl millet, resistance genes, 1395A
Puche, H., 1362A
Punja, Z. K., 693A
Purcell, A. H., 621, 859, 1341A, 1341A
Purcifull, D. E., 1392A, 1422A
Pusey, P. L., 825
Pyrenochaeta lycopersici, on tomato, organic farm, variables, 581
Pyrenophora spp.
—*P. teres*, sterol fungicide resistant to genetics, 1076
—*P. tritici-repentis*: necrosis toxin from, isolation method, 885A; spore production, 1335A; on wheat, biocontrol in residues, 371; on wheat, deposition device, 1391A; in wheat straw, inhibition by *Pseudomonas*, 1223; in wheat straw, wet period effect, 1288
Pyricularia spp.
—*P. grisea*: on pearl millet, from blight, 739; spore sampling techniques, factors, 1182
—*P. oryzae*, on rice and weeds, isolate genetic differentiation, 393, 1427
Pythium spp.: on bentgrass, new species in North Carolina, 1398A; mitochondrial DNA, crosshybridization, 1423A; on pea, biocontrol, 1466; root rot suppression of, 1365A; zoospores of, electrotaxis mechanism, 877
—*P. aphanidermatum*: *Acacia* extracts for control, 1351A; on cucumber, *Pseudomonas* effect on, 872; host colonization suppression, bacterial activity, 1368A; metalaxyl resistance in, 247A
—*P. graminicola*, on bentgrass, suppression with composts, 1366A
—*P. sylvaticum*, heterothallic, selfing, 1369A
—*P. ultimum*: biocontrol by *Gliocladium virens*, gliotoxin role, 1366A; on cucumber, silicon effect, 242A; on geranium, root cell reaction, 242A; monoclonal antibody specific to, binding antigen, 1397A; on pea roots, spatial patterns, 1419A

Qayoum, A., 1416A
Quatrano, R. S., 1334A
Quemada, H. D., 1425A
Querci, M., 171
Quigley, N. B., 1383A

Raabe, R. D., 1426A
Radopholus spp.
—sibling species, genetic variation, 1360A
Rajeshwari, R., 129
Randall-Schadel, B. L., 1376A
Ranieri, R., 1421A
Rapeseed (see also Canola)
—meal extracts, effect of sclerotial pathogens, 466A
—stem rot, foliar fungicides, 465A
Raposo, R., 103
Rashid, K. Y., 886A
Raskin, I., 702
Rasmussen, J. B., 883A, 886A
Rasmussen, S. L., 1498
Ratcliff, A. W., 1363A
Raupp, W. J., 885A
Rayachhetry, M. B., 1364A
Raymer, P. L., 1393A
Red clover necrotic mosaic dianthovirus, heptanucleotide sequence, 1350A
Reddick, B. B., 1392A, 1426A
Reddy, D. V. R., 129
Reeleder, R. D., 1393A
Reese, P., 1355, 1356A
Reeser, P. W., 1343A
Regner, K. M., 1366A
Rehner, S., 1400A
Reibenspies, J., 1380A
Reichard, D. L., 1351A
Reid, L. M., 949
Reilly, C. C., 1377A, 1409A
Rempel, C. B., 246A, 247A
Resistance
—alfalfa to Verticillium wilt, anatomical response, 80
—apple to scab, screening, 1155
—*Arabidopsis thaliana* to turnip crinkle virus, 1021
—bacteria to copper, induction, 1449
—corn: to anthracnose stalk rot, 981; to northern leaf blight, 1326
—cowpea to rust, genetics, 224
—rye to powdery mildew, adult plant, 1071
—soybean to: *Aspergillus flavus*, 1473; Phytophthora root and stem rot,

rate-reducing, 187
—wheat to stripe rust, gene loci, 382
Resistance and ferulic acid correlation, 949
Revear, L. G., 445
Reviewers, acknowledgment of, 1
Reynolds, K. L., 1377A, 1408A
Rhabdocline pseudotsugae, on Christmas trees plantations, sterol-biosynthesis-inhibiting fungicides for, 248A
Rhizobacteria, growth promoting, factors affecting, 1339A
Rhizoctonia spp., binucleate, isozyme variation and genetic relatedness, 864
—*R. oryzae*, on wheat, soil temperature effect, 777
—*R. solani*: AG-2-2 population, cellular fatty acids, 278; AG-3, on potato and tobacco, population characterization, 854; AG-8, characterization using pectic izozyme and anastomosis techniques, 922; AG-8, on wheat, root rot decline, 260; anastomosis group, new, 1420A; on bean and soybean, anastomosis group and virulence variation, 438; dsRNA detection, nucleic acid probe, 1424A; dsRNA of, viral genes, 1424A; hypovirulence, cloning of associated RNA elements, 245A; intraspecific relations, nuclear ribosomal DNA, 1423A; on lettuce, virulence variation, 1342A; polymorphism in ISG-specific, 1424A; on potato, AG-3, 1408A; on sugar beet, biochemical resistance, 63; *Trichoderma* interaction, mycoparasite process, 1062; on wheat, soil temperature effect, 777
Rhizosphere, cotton, *Bacillus subtilis*, seed factor effect, 1120
Rhoads, D. D., 1029, 1199, 1412A, 1413A
Rhoads, M. L., 1387A
Rice
—blast: genetic differentiation of isolates, 393, 1427; microgeographic variation in pathogen population, DNA fingerprinting, 1029; mutation for virulence, genetics, 1093; spore sampling techniques, 1182; virulence gene interaction, 375
—sheath blight, biocontrol, 1347A
Rice tungro bacilliform virus, PCR for detection, 655
Rice yellow mottle virus, RNA, homology, 1309
Richins, R. D., 129, 1349A
Richmond, K. E., 1425A
Richter, T. E., 1413A
Ridout, C. J., 1040
Riedel, R. M., 1344A
Ries, S. M., 885A
Riggs, J. L., 1368A, 1420A
Riggs, R. D., 1335A
Riley, R. T., 1379A
Risius, M. L., 1394A
Ristaino, J. B., 1312, 1368A, 1391A
Ritchie, D. F., 466A, 959, 1359A, 1376A, 1408A
Rivera-Bustamante, R. F., 514
Rivera-C., J. M., 1370A
Rivera-Peña, A., 1389A
Rivera-Vargas, L. I., 1382A
Rizvi, S. S. A., 1394A
Roberts, J. J., 1381A
Roberts, P. A., 645
Roberts, R. G., 995, 1408A, 1413A
Robertson, N. L., 1354A, 1356A, 1360A
Robertson, T. L., 1334A
Robinson, J. P., 1342A
Rochon, D. M., 400
Rodrigues, C. A., 332
Rodriguez-Alvarado, G., 1372A
Rodriguez-Cerezo, E., 1374A
Rodríguez-Kábana, R., 468A, 1351A, 1400A, 1417A, 1418A
Roelfs, A. P., 592, 1353A, 1357A
Romaine, C. P., 696A, 1404A
Roossinck, M. J., 1361A
Rose
—blackspot, natural products for, 1337A
—disease overwintering, vector relation, 1339A
—powdery mildew, control with bicarbonates, 244A, 246A
—vase life, natural product, 1337A
Rosskopf, E. N., 1385A
Rossnagel, B. G., 883A
Rothrock, C. S., 1387A, 1418A, 1420A
Rouse, D. I., 1342A, 1370A, 1392A, 1423A
Rousselle, D., 1357A
Rowe, D. E., 1396A
Rowhani, A., 749, 1397A
Rowley, K. B., 1360A
Roy, K. W., 467A
Ruan, Y., 1423A
Rucker, D. G., 1350A, 1425A
Ruff, R. L., 1386A
Ruhl, G. E., 1371A
Rupe, J. C., 467A, 1384A, 1423A
Rusch, H., 1258
Rush, C. M., 202, 1216, 1220
Russell, D. R., 181
Russell, P. F., 1425A
Russin, J. S., 1342A, 1343A, 1376A, 1387A, 1407A, 1417A
Rustad, D. M., 1393A
Rutledge, S. S., 1336A
Ryan, A. D., 1407A
Rybicki, E. P., 1422A
Rye, powdery mildew, resistance, variation components, 1071

Saari, E. E., 1357A
Sackston, W. E., 247A
Sadusky, M. C., 1426A
Salas, B., 886A
Salazar, L. F., 171
Salinas, R. A., 1372A
Samuels, G., 1346A
Sanaka, V., 1362A
Sánchez, C., 1393A
Sanchez-Villanueva, P., 1407A
Sanders, P. L., 247A
Sands, D. C., 1381A, 1405A
Sanfaçon, H., 400
Santamour, F. S., Jr., 1411A
Sarniguet, A., 1418A
Sato, T., 405
Satyanarayana, M. V., 1358A, 1390A
Sauer, K. M., 97
Saunders, S. R., 1341A
Savage, S. D., 1339A, 1409A
Savino, V., 772
Savka, M. A., 1404A
Sawyer, T. L., 1390A
Sayama, H., 405
Sayre, R. M., 696A
Scala, F., 1178
Schaad, N. W., 965, 1342A, 1379A
Schading, R. L., 1375A, 1376A
Schäfer, W., 1397A, 1484
Schardl, C. L., 469A, 1379A
Schenck, N. C., 1398A
Schisler, D. A., 1354A
Schlagnhaufer, B., 696A
Schmidt, H. K., 1071
Schmitt, D. P., 1367A, 1373A
Schmitthenner, A. F., 438, 1353A, 1386A, 1388A
Schmitthenner, A. R., 473
Schneider, A. T., 691A
Schneider, R. W., 1343A
Schoelz, J. E., 1424A
Schotzko, D. J., 1419A
Schroeder, D. T., 1346A
Schroth, M. C., 691A
Schroth, M. N., 213, 1460
Schubert, T. S., 701
Schuerger, A. C., 1162, 1171
Schuh, W., 109, 247A, 941, 1358A
Schultz, P. M., 1363A
Schumann, G. L., 1338A
Schwartz, H. F., 694A
Sclerotinia spp., inhibition, amendment effect, 1365A
—*S. homeocarpa*: on bentgrass, model pathosystem for disease assessment, 806; DMI fungicides for, resistance, 1338A
—*S. minor*: assay analysis, 1363A; oxalic acid, use in bioherbicide, 1366A
—*S. sclerotiorum*: on canola, pathosystem, in Missouri, 1359A; on canola, petal infestation for forecasting, 682; on lettuce, sclerotial survival and apothecial production, 509; mycelial survival, in residue stems, 937
Sclerotium rolfsii, mycoherbicide use, mutants, 1381A
Scott, D. H., 1343A
Scott, G. E., 1355A
Scott, J. W., 1394A
Scott, S. W., 1361A, 1402A
Scott-Craig, J. S., 1335A
Scytalidium lignicola, on Douglas-fir and southern pine, decay prevention, 1407A
Seal, S., 1378A
Searles, M. R., 247A
Secor, G. A., 164, 886A
Seebold, K. W., 1371A
Seemüller, E., 971
Séguin-Swartz, G., 503, 1370A
Sehgal, O. P., 886A, 1309
Seifert, K. A., 1003
Sendak, P. E., 1364A
Septoria spp.
—*S. apiicola*, on celery, temperature and leaf wetness effect, 1036
—*S. glycines*: on soybean, host-specific pathotoxin, characterization, 659; on soybean, leaf moisture and disease, 247A; on soybean, temperature and leaf wetness effect, modeling, 941
—*S. lycopersici*, spore dissemination in rain, 1391A
—*S. tritici*, population, genetic stability, 1353A
Setosphaeria turcica
—on corn: resistance, molecular markers, 1326; virulence variation, 1356A
Sha, Y. H., 468A, 1400A
Shabi, E., 1409A
Shain, L., 140, 1352A
Shaner, G., 1414A, 1421A
Shaw, C. G., III, 1365A
Shaw, J. G., 1374A
Shaw, J. J., 1335A
Shaw, M. E., 468A, 469A, 1399A
Shelby, R. A., 1355A, 1418A
Shen, W. C., 671
Shennan, C., 581
Shepherd, R. J., 129, 1349A
Sherald, J. L., 1411A
Sherif, S., 1390A
Sherman, J. M., 1355A
Sherwood, J. E., 1423A
Sherwood, J. L., 456, 548, 1371A, 1373A, 1374A, 1422A, 1425A
Shew, B. B., 1375A
Shew, H. D., 854, 1338A, 1398A, 1419A, 1423A
Shigaki, T., 1405A
Shimomura, N., 495
Shintaku, M. H., 1349A, 1362A, 1426A
Shiozawa, H., 786

Shirasu, K., 1360A
Shishkoff, N., 894
Shortl, W. C., 1412A
Shtienberg, D., 1235
Shukla, D. D., 355
Shulaev, V., 702
Shutter, R. W., 1409A
Siegel, M. R., 469A, 1379A
Siegerist, W. C., 548, 883A, 1391A
Siemsen, S. L., 1405A
Sikora, E. J., 1396A, 1419A
Simcox, J. D., 1326
Simini, M., 1426A
Simmons, E. G., 1413A
Simon, C. J., 612
Simon, L., 1359A
Sinclair, J. B., 887A, 1339A, 1423A
Sinclair, W. A., 829, 971
Singh-Lapp, M., 1424A
Singleton, L. L., 1384A
Siti, E., 509
Skaria, M., 1377A, 1378A, 1417A
Skelly, J. M., 241A
Skinner, D. Z., 883A
Skoglund, L. G., 1378A
Slack, S., 243A
Slightom, J. L., 728
Slininger, P. J., 1354A
Smart, C. D., 1341A, 1399A
Smiley, R. W., 260, 693A, 777
Smith, A. G., 1382A
Smith, B. J., 468A, 1377A, 1408A
Smith, C. A., 247A
Smith, D., 716, 1356A
Smith, D. R., 1364A
Smith, F. D., 1376A
Smith, G. R., 467A
Smith, J. A., 1380A
Smith, J. P., 1378A
Smith, K. P., 430
Smith, V. L., 247A, 1410A
Smittle, D. A., 466A, 1367A
Snetselaar, K. M., 843
Snow, G. A., 388
Snow, J. P., 1342, 1343A, 1407A
Snyder, S. A., 1404A
Soil, golf course, sand content, electrical conductivity, 693A
Soilborne wheat mosaic virus, on wheat, temperature effect on movement, 548
Soil solarization
—cabbage residue amendments, 899
—lupine southern blight control, 465A
—organic amendment relation, biotoxic volatiles, 1340A
—pseudomonad suppression of pathogens in, 68
—watermelon disease reduced by, crop management, 468A
Solanum dulcamara, yellow fleck-ob, characterization, 400, *689*
Soler, A., 468A, 1351A
Solis-Gracia, N., 1377A
Sollars, J. R., 1414A
Somerville, S. C., 1335A
Somodi, G. C., 1394A
Sonchus arvensis, blight, anthracnose symptoms, 1385A
Sonchus yellow net virus, genomic RNA, sequence analysis, 1361A
Song, H. S., 659
Sordaria guayuleae, on kenaf, pathogenicity, 1375A
Sorensen, L. H., 691A
Sorghum
—Acremonium wilt, 1392A
—ergot: disease cycles and flowering, 1390A; mapping spread, 1358A
—mold of, grain resistance to, genes controlling, 490
—sugarcane potyvirus infecting, identification, 884A
Soria, S., 1421A
Sosa-Alvarez, M., 1390A
Soybean
—aerial blight, weed relation, 1343A
—*Aspergillus flavus* on, resistance, lipoxygenase pathway, 1473
—*Bacillus megaterium* response, chemotaxis, 887A
—brown spot: host-specific pathotoxin, 659; temperature and leaf wetness effect, modeling, 941
—*Cercospora kikuchii* on, moisture and light factors, 109
—cyst nematode: cultivar resistance, 1335A; management agents, 1373A
—disease nursery in Louisiana, 1407A
—glucan elicitors, factors, 1380A
—leaf disease, temporal and spatial development, strip cropping, 1358A
—*Meloidogyne arenaria* on, race response, 1343A
—Phytophthora root rot, virulence of isolates, 1386A
—Phytophthora root and stem rot, rate-reducing resistance, modeling, 187
—reniform nematode, cultivar resistance, 1417A
—*Rhizoctonia solani* on, virulence variation and anastomosis group, 438
—*Sclerotinia sclerotiorum*, ascospore inoculation, 1386A
—sudden death syndrome: biocontrol, 1384A; biocontrol agents, 467A; fungus and nematode relation, 467A; pathogen differentiation, 1423A; phytotoxins, 1343A
—tillage and cultivar effect on foliar disease, 1396A
—transformation studies, particle gun use, 696A
Soybean mosaic virus
—coat protein, transgenic tobacco, 1426A
—model of field spread, monoclonal antibody method, 1363A
Spaine, P. C., 1411A
Speck, J., 1355, 1356A
Sphaeropsis sapinea
—morphotypes, RAPDs for differentiation, 1364A
—on red pine, water stress effect, 1352A
—on Scots pine, water stress effect, 1410A
Sphaerotheca spp.
—*S. fuliginea*: cleistothecia and mating type, 697A; on squash, fungicide for, 696A
—*S. pannosa*: on rose, bicarbonate effect on conidia, 246A; on rose, control with bicarbonates, 244A
Spiegel, S., 991
Spiroplasma citri
—DNA fingerprinting analysis, transmissibility, 1400A
—transmission: DNA and protein profiles, 1399A; transmission, gland barrier, 1399A; transmission by leafhopper, 468A
Spiroplasma virus, DNA sequence analysis, 468A
Spore sampler, *Venturia inaequalis* spores, efficiency, 1116
Sporobolomyces roseus, biocontrol for apple diseases, 1417A
Spotts, R. A., 1083
Spruce
—red: feeding wounds from moth larvae, 241A; freezing injury, snow depth relation, 1351A
Squash
—silverleaf of, toxic disorder, insect induced, 763
—virus resistance, coat protein transgenes, 1425A
—yellow vine, factors, 464A
Stack, R. W., 885A, 886A
Stall, R. E., 551, 1341A, 1359A, 1399A
Stanghellini, M. E., 693A, 1368A, 1498
Staniszewska, H., 246A, 696A, 697A, 1389A
Stanosz, G. R., 1352A, 1364A
Stansly, P. A., 1355A
Stapleton, J. J., 693A, 899, 1340A
Statler, G. D., 230
Stavely, J. R., 695A, 1381A
Steadman, J. R., 1385A
Steffenson, B. J., 230, 883A, 884A, 887A, 1336A, 1353A, 1387A, 1415A
Stein, B., 1414A
Stein, S., 1388A
Stenger, D. C., 1334A, 1424A
Stenocarpella maydis, chlamydospore production, 1336A
Stevens, C., 465A, 468A
Stevens Johnk, J., 854
Stevenson, W. R., 1389A
Sticklen, M. B., 1411A
Stiles, C. M., 1367A
Stipanovic, R. D., 1340A, 1380A
Stockwell, V. O., 478, 995, 1383A
Stodola, A., 1410A
Stone, A. S., 1421A
Stone, J. K., 1391A
Stowell, L. J., 693A, 1338A
Straathof, Th. P., 568
Straney, D. C., 1366A, 1423A
Strausbaugh, C. A., 693A, 1253
Strawberry (see also *Fragaria chiloensis*)
—anthracnose of, temperature effect, 468A
—black root rot, minerals for suppression, 1408A
—*Colletotrichum* spp. on, spore germination and infection, 1390A
—gray mold, biocontrol, 615
—red stele, cultivar susceptibility, 538
Streptomyces spp.: fatty acid library, detection in soil, 1420A; in rhizosphere, spatial and temporal dynamics, 1407A; strain differentiation by fatty acid analysis, 1404A
—*S. mediterrani*, rifamycin from, phytotoxicity, 1385A
—*S. scabies*: pathogenicity factor, cloning, 1360A; on potato, ultrastructure, 1414A
Stretch, A. W., 1409A
Striga hermonthica
—field infestation method, 1401A
—germination stimulants, 1401A
—seed germination, soybean stimulation of, 1401A
—sorghum and corn affected by, 1363A
Strike, P. M., 355
Stromberg, E. L., 695A
Stubbs, G., 1349A
Stuteville, D. L., 883A
Stutz, J. C., 690A, 691A
Subbarao, K. V., 527, 1345A, 1363A, 1454
Sudarshana, M. R., 1403A
Sudarshana, P., 1383A
Suganda, T., 1344A
Sugar beet
—*Aphanomyces cochlioides* on, oospore quantification, 886A
—Aphanomyces root rot and rhizomania, multiple infection, 1220
—beet necrotic yellow vein virus on, serology, 1421A
—cell walls of, inhibitor protein from, 63
—damping-off, factors affecting, 202
—*Rhizoctonia* and *Phytophthora* rots, incidence in Wyoming, 691A
—vascular necrosis, soilborne virus association, 1421A
Sugarcane

—bacterial pathogens, PCR amplification, 1398A
—smut, progress curve analysis, sigmoid pattern, 933
Sugarcane mosaic virus, coat protein, host range and base sequence, 1425A
Sugar, D., 478, 995, 1083
Sujkowski, L. S., 1334A, 1353A
Sullivan, N. J., 243A
Sulzinski, M. A., 1404A
Sumner, D., 466A, 1367A
Sun, P., 1051
Sun, S. S. M., 1357A, 1361A
Sun, X. P., 1352A, 1380A, 1395A
Sundin, G. W., 468A, 1405A
Sunflower
—broomrape, resistance inheritance, 1250
—disease resistance, cultivars from Native American tribes, 692A
—downy mildew, biological control, 247A
Sustainability, challenge, annual meeting, 38
Sutherland, J. B., 1418A
Sutton, D. K., 247A
Sutton, J. C., 248A, 615
Sutton, P., 1397A
Sutton, T. B., 465A, 1359A, 1390A, 1391A, 1409A
Suzuki, M., 411
Sweet potato
—Rhizopus rot, iprodione and dichloran effects, 1354A
—witches' broom, monoclonal antibody production, 671
Sweets, L. E., 1388A
Swift, C. E., 694A
Sycamore, dieback, etiology in southern USA, 1412A
Synergism, antagonism compared to, wheat rust spores, 1051
Szczyglowski, K., 1380A
Szerszen, J. B., 1380A
Sztejnberg, A., 753

Tabashnik, B. E., 763
Tachibana, H., 1386A
Tainter, F. H., 1392A, 1393A
Takahashi, Y., 655
Takanami, Y., 411
Talaromyces flavus, biocontrol agent, factors, 1365A
Tamaki, S., 1342A
Tambong, J. T., 1343A
Tamm, L., 1321
Tanaka, H., 1411A
Tanaka, T., 1354A, 1379A
Tang, B., 1400A
Tangerine, brown spot, host-specific toxins, 495
Tappan, C., 1351A
Taro, root rot, nematode and *Rhizoctonia* relation, 1367A
Tavantzis, S. M., 1424A
Taylor, J. E., 630
Taylor, J. L., 503
Taylor, J. W., 177
Taylor, S. E., 1391A
Teaching, herbarium use, self-study, 1397A
TeBeest, D. O., 469A, 891, 1413A
Tedford, E. C., 1373A
Templeton, G. E., 1336A, 1347A, 1398A
ter Borg, M., 991
Termorshuizen, A. J., 1367A
Teviotdale, B., 1460
Thanatephorus practicola, heterokaryon formation, 1346A
Therrien, C. D., 319
Theuri, J. M., 886A
Thielaviopsis basicola
—aluminum resistant mutant, 1419A
—calmodulin gene, DNA sequence, 1423A
—on cotton, hairy vetch effect, 1418A
Thielges, B. A., 140
Thies, J. A., 1368A
Thomas, C. E., 1357A
Thomas, C. S., 1371A
Thomashow, L. S., 1341A, 1385A
Thomassian, C., 1340A
Thompson, D. C., 247A, 1337A, 1365A
Thompson, H. C., Jr., 1418A
Thompson, T. A., 1426A
Thomson, S. V., 1399A
Thornton, A. B., 1368A
Thorson, P. R., 153
Thottappilly, G., 1309
Tiffany, L. H., 1363A
Tigchelaar, E. C., 1340A, 1389A
Tilletia spp.
—*T. barclayana*, on rice, virulence, 1336A
—*T. fusca*, on wheat, *Tilletia controversa* hybrid, 1337A
—*T. indica*: isolate variation, from India and Mexico, 1354A; teliospores, extraction method, 1379A
Tillman, B. L., 1387A
Timmer, L. W., 485, 573
Tiongco, E. R., 655
Tisserat, N. A., 97
Tobacco
—bluemold: detection using genomic sequence, 469A; TMV effect on, 906
—protein detection, 1422A
—target spot, biological and chemical control, 1392A
—transformation, tomato spotted wilt virus constructs, 1355A
—virus resistance, protein relations, salicylic acid, 702
Tobacco mosaic virus
—on barley, co-infection with cereal virus, 1360A
—bluemold infection affected by, 906
—disassembly, mutagenesis identification, 1349A
—mosaic determinant, identification, 1361A
—movement-deficient mutants, gene I complementation, 1349A
—ribonuclease activity, 1379A
—soybean strain, serology, 1421A
—vascular cell infection, strains, 1426A
Tobacco rattle virus, genome structure, Pacific Northwest, 1403A
Tobacco vein-banding mosaic virus, coat protein gene, sequence, 1426A
Tobacco vein mottling virus, coat protein, cylindrical inclusions in host, 1374A
Tobi, D. R., 241A, 1364A
Todd, J. W., 465A, 1386A
Tolin, S. A., 1401A, 1421A
Tollner, B., 466A
Tollner, E. W., 1367A
Toman, J., Jr., 981
Tomato
—*Alternaria* and *Fusarium*, toxins, 1354A
—anthracnose: fungicide schedule, 1340A; inoculation procedure, 1389A
—*Colletotrichum coccodes* on, persistence in soil, 1345A
—corky root, suppressed by soil organisms, 1367A
—corky root and Phytophthora root rot, in organic farm, variables, 581
—crown and root rot, biocontrol, 1406A
—cucumber mosaic virus of, Japanese strain, field test, 405
—*Fusarium oxysporum* on, vegetative compatibility groups, 1343A
—geminiviruses from, agroinfection of crops, 1350A
—late blight, fungicides for, 1351A
—*Pseudomonas solanacearum* and antagonists, interaction in soil, 692A
—root-knot nematode, resistance *Mi* gene, stable virulence, 803
—Septoria leaf spot, epidemics in linear plantings, 243A
—*Verticillium* and *Pratylenchus* interaction, yield, 1344
—whitefly-transmitted geminivirus, compared with pepper, 692A
Tomato mosaic virus, on red spruce, in New York, 1351A
Tomato mottle virus
—weed hosts, identification, 1355A
Tomato spotted wilt virus
—C-terminus of L protein, 1425A
—*Frankliniella fusca* association, 1363A
—molecular analysis of RNA, 1374A
—non-structural protein, magnetic beads and monoclonal antibodies, 1373A
—NSm protein, in *E. coli*, 1425A
—nuclear protein gene, lettuce transformation, 1357A
—nucleocapsid gene: chrysanthemum transformation, 1355A; resistance expression, 1361A
—replicon construction, 1425A
—serogroup, diversity, 1356A
—S RNA sequence analysis, 728
—S RNA in thrip vector cells, immunocytochemistry, 456
—in thrip cells, cytoplasmic inclusions, 1374A
—thrips vector, population dynamics, 1362A
—on tobacco: N protein, immunoglobulin, 1422A; resistance, 1420A
Tonkyn, D. W., 1367A
Tooley, P. W., 1354A
Torres-Pacheco, I., 514
Townsend, A. M., 1413A
Toxins, fumonisin and AAL, in duckweed and tomato, sphingolipid content, 1379A
Traut, E. J., 1334A, 1336A
Trently, D. J., 1400A
Trevathan, L. E., 1343A
Trichoderma spp., timber harvesting effect, in Alabama, 1364A
—*T. atroviride*, biocontrol for potato black scurf, 1347A
—*T. harzianum*: chitinolytic enzymes from, antifungal activity, 302; chitinolytic enzyme purification, 313, *1263*; chitinolytic enzymes from, synergism with *Rhizoctonia* interaction, mycoparasitism, 1062; *Enterbacter cloacae*, 721; in pea spermosphere and rhizosphere, *Pseudomonas* effect, 265
Tricoli, D. M., 1425A
Trigiano, R. N., 1338A, 1410A
Trillium viridescens, smut of, in Arkansas, 1398A
Tritton, L. M., 1364A
Troendle, C. A., 1411A
Tronsmo, A., 302, 313, *1263*
Tropaeolum tuberosum, virus of, mechanically transmissible, 1421A
Trout, C. L., 1413A
Tsai, C. Y., 1380A
Tsuchizaki, T., 786
Tsuji, J., 1381A
Tubajika, K. M., 1358A
Tucker, C. Y., 1336A
Turano, F., 1424A
Turfgrass
—fairy ring fungus, new, 242A
—*Magnaporthe poae* on, bacteria for control, 243A
—nematodes, survey in California, 1338A
—*Pythium*, temperature effect, 1338A
—summer patch: bacteria for disease suppression, 247A; bacteria for suppression,

1337A
Turkington, T. K., 682
Turney, J. K., 1348A
Turnip crinkle virus, on *Arabidopsis thaliana*, resistance, 1021
Turnip vein-clearing virus, characterization, 466A
Turnipseed, B., 1388A
Tuzun, S., 1334A, 1335A, 1339A, 1340A, 1360A
Twidell, E. K., 1386A
Tylenchulus semipenetrans, in citrus rhizosphere, seasonal pattern, 573
Tylka, G. L., 1386A, 1394A
Tzean, S. S., 1015

Uchida, J. Y., 1367A, 1385A, 1410A
Uddin, W., 777, 1394A
Ullman, D. E., 456, 763, 1374A, 1425A
Ulmus (see also Elm)
—mycoplasmalike organisms in, detection using DNA probe and PCR, 829
Upchurch, R. G., 1422A
Upper, C. D., 430
Urban, L. A., 1355A
Uromyces spp.
—*U. appendiculatus*: on bean, fungicide for, 884A; teliospore production, inheritance, 1353A; teliospores, germination stimulation, 1381A; *Verticillium lecanii* parasitic to, pesticide effect, 695A
—*U. vignae*, on cowpea, resistance inheritance, 224
Ustilago spp.
—*U. hordei*: mating-type allele, 1423A; races, karyotype analysis, 1416A
—*U. maydis*: on corn, stigma infection, 843; on sweet corn, resistance screening, 1389A
—*U. scitaminea*, on sugarcane, disease progress curve, analysis, 933
Uyemoto, J. K., 1341A, 1376A

Vakili, N. G., 886A, 1347A
Valadez, V. A., 1381A
Valverde, R. A., 1363A, 1372A, 1402A
van Bruggen, A. H. C., 581, 1367A
Van Buren, A. M., 1406A
Vance, C. P., 1415A
Vance, V. B., 1361A
van Delden, A., 1357A
Vandemark, G. J., 1498
van den Heuvel, J. F. J. M., 1125
van der Gaag, D J., 1434
Vanderspool, M. C., 1360A
Van Etten, H. D., 691A, 1383A
Van Kirk, J., 1397A
Vann, S. R., 1412A
Van Toai, T. T., 1379A
Vargas, J. M., Jr., 1371A
Vaughn, K. M., 202
Vavrina, C. S., 1395A
Vectors, fungal, virus vector relation, persistence, letter to editor, 363
Vega, F. E., 621
Vega de Rojas, R., 1421A
Velasco, V., 690A, 1335A, 1337A
Venette, J. R., 883A, 884A
Venturia inaequalis
—on apple: conidial production, 247A; new race, *Vf* gene, 533; pathogenesis on shoot-tip culture, 1155
—ascospore inoculum, sanitation effect, 247A
—ascospores: aerial concentration, 1358A; spore sampler efficiency, 1116
—fenarimol tolerance, 1386A
Verbeek, M., 1125
Verdegaal, P. S., 1371A
Verticillium spp., intergeneric differentiation, PCR use, 1423A
—*V. albo-atrum*, on alfalfa, resistance to, anatomical response, 80
—*V. dahliae*: biocontrol agents, osmotic pressure effect, 1384A; microsclerotia, metham treatment, 1397A; on ornamental woody plants, vegetative compatibility group, 1346A; on potato, vegetative compatibility and virulence, 1253; RAPD fragment, use in detection, 1370A; semi-selective medium for, 692A; vegetative compatibility and virulence, on potato, 693A
Viaene, N. M. M., 248A
Vigna radiata
—*Fusarium solani* on, root attachment, carbon source, 1171
—*Fusarium solani* on roots of, mucilage secretion, 1162
Vilgalys, R., 1346A
Villaseñor, E., 1387A
Vincelli, P. C., 1338A, 1369A
Viquez, O. M., 1418A
Viruses
—arthropod-vectored epidemic model, 1269
—beetle transmission, virus retention time, 1403A
—cucumoviruses, coat protein, electrophoretic mobility, 1374A
—detection using dot blot hybridization, 1401A
—dsRNA of, nonradioactive probes from, 1402A
—geminiviruses: on crops and weeds in Florida, sequence comparison, 1425A; diversity in Mexico, 1372A
—non-beetle transmissible, plant proteins, 1403A
—passage to regurgitants of beetles, 1375A
—PCR technique, 1378A
—taxonomy and modern technology, presidential address, 33
Voltz, D. C., 694A

Waddell, C. A., 1389A
Wade, M. L., 690A
Wager, T. C., 1365A
Wagner, R., 1356A
Wagner, R. E., 187
Wagner, V. T., 1334A
Wagoner, M. A., 1420A
Wai, T., 1414A
Waldron, J. K., 1397A
Walker, B. E., 1398A
Walker, G., 246A
Walkinshaw, C. H., 468A, 1364A, 1411A
Wall, M. M., 324, 607
Walnut (see also *Juglans cinerea*)
—bacterial blight, bactericides for, 1460
Wang, H., 1423A
Wang, J.-Y., 1356A
Wang, M., 1357A, 1372A
Wang, R. Y., 1375A, 1403A
Wang, X.-L., 1460
Ward, C. W., 355
Warfield, C. Y., 1375A
Wargo, P. M., 248A, 1351A
Warner, R. L., 1409A
Warren, H. L., 1334A, 1336A
Wasilwa, L. A., 1190, 1345A
Watermelon
—bacterial fruit blotch, field spread, 466A
—fruit blotch, transmission from seed, 466A
—*Fusarium oxysporum* on, chromosomal polymorphism, 1209
—Fusarium wilt: suppressive soil and planting effect, 1097; suppressive soil and *Fusarium* ecology, 1105
—virus epidemic in Florida, 1392A
Watermelon and muskmelon, yellow vine, spatial aggregation, 465A
Watermelon mosaic virus 2, resistance, 465A
Watkins, J. E., 1336A, 1396A
Watson, A. K., 1366A
Wattermann, J. L., 1410A
Waugh, M., 607, 1333A, 1414A
Way, A. W., 1336A
Wayadande, A. C., 468A, 522, 1399A
Weaver, C. F., 1351A, 1417A
Webb, R. S., 1364A
Webb, S. E., 1392A
Wechter, W. P., 1357A
Wedge, D. E., 1393A
Weeks, J. R., 1340A
Wei, G., 1339A
Weidemann, G. J., 1398A
Weingartner, D. P., 1400A
Weller, D. M., 1365A, 1385A, 1406A
Wells, J. M., 445, 813, 1405A
Welz, H. G., 593, 1356A
Wenner, N. G., 246A, 248A
Werner, R. A., 1364A
Wesenberg, D. M., 1337A, 1387A
Westcot, D. M., 456, 1374A
Westcott, S. W., III, 1245
Westra, A., 243A
Westrope, J. S., 1397A
Wettstein, C. A., 1411A
Wheat
—bacterial streak: detection and quantification, 134; yield correlation, 1387A
—*Cephalosporium gramineum* on, pH effect, 1367A
—cereal cyst nematode, management, 693A
—common root rot, internode discoloration, image analysis, 976
—crown and root rot, biocontrol with herbicolin A, 213
—disease survey in Saudi Arabia, 1335A
—Fusarium head blight, foliar fungicides for, 1370A
—Fusarium scab, growth regulator effect, 243A
—Karnal bunt, in Mexico, 1375A, 1407A
—leaf disease control, sterol-inhibiting fungicides, 1370A
—leaf diseases, in Mexico, 1387A
—leaf infection, field exposure, 1358A
—leaf rust and powdery mildew: fungicides for, 1387A; seed and foliar applications, 557
—leaf rust: heterogeneous population selection, 909; universal suscepts, 1357A
—leaf rust gene-for-gene system, 885A
—leaf and stem rust development, forecasting in Egypt, 1390A
—physiologic leaf spot, 693A
—powdery mildew: fungicides and factors, 1387A; photosynthetic rate affected by, 1336A
—*Pseudocercosporella herpotrichoides*, resistance detection, reporter gene, 1357A
—*Pythium* spp. on, incidence, 1387A
—Rhizoctonia root rot: decline with AG-8, 260; soil temperature effect, 777
—root and crown rot, in Alabama, 1388A
—root pathogens, control with bacteria, 1406A
—root rot, in Mexico, 1387A
—scab, vomitoxin level, 885A
—scab incidence and germination, 1388A
—*Stagonospora nodorum*, seed treatments, 1386A
—stripe rust, resistance inheritance, 382; virulence variation, 1489
—take-all: biocontrol with bacteria, 1365A; soil suppressiveness and pseudomonads, 1418A
—tan spot of: biocontrol in residues, 371, 1288; genotype reactions in nurseries,

883A; locus heterozygosity and cytoplasm source, 883A; reaction to, 884A
Wheat and barley, common root rot, cereal cyst nematode interaction, 886A
Wheat soilborne mosaic virus, movement protein gene, 1425A
Wheat spindle streak mosaic virus, baymovirus detection, antiserum, 1355A
Wheat streak mosaic rymovirus, cytological alterations in organelles, 206
Wheat streak mosaic virus
—on foxtail millet, resistance, 1396A
—PCR and RFLP analysis, 1356A
—prevernalization incidence in South Dakota, 1421A
—serological analysis, 1371A
Wheeler, M. H., 1346A
White clover
—disease complex, spatial pattern and disease progress, 419
—foliar epidemics, comparative spatial analysis, 288
White, D. G., 981, 1355A
White, F. F., 1333A
White lupin mosaic virus, coat protein in strains, sequence relations, 355
White, P. S., 1361A
White, T. J., 177
Whitehead, D. S., 1334A
Whitehead, M. P., 1369A, 1422A
Whittaker, A. D., 1399A
Whittaker, L. A., 355
Whittington, D. P., 696A, 1407A
Wicklow, D. T., 1141, 1473
Widholm, J. M., 1343A
Widstrom, N. W., 1417A
Wiglesworth, M. D., 469A
Wijey, C., 1405A
Wijkamp, I., 986
Wilcox, S. M., 1382A
Wilhite, S. E., 1366A
Wilkinson, H. T., 187
Wilkinson, R. E., 1381A
Wilks, D. S., 103
Williams, A. J., 1418A
Williams, J. L., 1419A
Williams, P. H., 1395A
Willis, D. K., 1359A
Wilson, A. D., 1397A, 1411A
Wilson, C. L., 1417A
Wilson, D., 691A
Wilson, D. M., 1141
Wilson, J. P., 739, 1395A, 1395A
Wilson, L. L., 1390A
Wilson, M., 117, 1342A, 1404A
Windels, C. E., 886A, 1393A, 1419A
Windham, M. T., 1338A, 1338A, 1410A
Winters, S. A., 1420A
Wise, R. P., 885A
Wisler, G. C., 1421A
Wobbe, K. K., 1021
Wodzinski, R. S., 1342A
Wolf, T. K., 696A, 1130
Wolfson, L. M., 1404A
Woloshuk, C. P., 1369A, 1370A
Woo, S. L., 302, 721
Woodard, J. A., 1362A
Wood decay, errors in studies, 1364A
Wood decay fungi
—ionic modification during biodegradation, 244A
—transition metal role, 244A
Wood, D. W., 1414A
Woods, F., 1360A
Workneh, F., 581, 1367A
Worrall, J. J., 1364A
Wozniak, C. A., 884A
Wrather, J. A., 1396A
Wright, J. M., 465A
Wright-Dobrzeniecka, S., 1342A
Wu, H., 887A
Wu, L. J., 1358A
Wu, S. Y., 242A
Wu, T., 1365A
Wu, X. Y., 915
Wyatt, J. E., 1345A
Wyatt, S. D., 1374A, 1374A

Xanthomonas spp.: copper resistance, 1449; pigment and EPS production, 1404A
—*X. campestris*: biocontrol agent, bluegrass, 1339A; biocontrol with epiphytic bacteria, 1341A; on bluegrass, control agent, 1337A; on *Brassica oleracea*, resistance, 1395A; on citrus, DNA sequences, analysis, 1359A; on cotton, exopolysaccharide production, 344; in cotton, sesquiterpene cyclase activity, 1381A; epidemiological fitness, 1405A; lipopolysaccharide, epitope association, genetic analysis, 551; pathovars, differentiation by PCR, 1404A; on peach, fruit infection, 1376A; on pepper and tomato, miniplasmids in strains, 959; race determination, hybridization, 1359A; races, miniplasmid conjugal transfer, 466A; strains, worldwide collection, 1341A; on tomato, detection using ELISA, 1394A; on walnut, bactericides for, 1460; on wheat, virulence, 1387A; on wheat leaves, population estimation, test tube assay, 134
—*X. citri*, host-specific avirulence recombination, 1360A
—*X. fragariae*, on strawberry, systemic movement, 1408A
—*X. maltophilia*, from sugar beet, characterization, 884A
Xia, J. Q., 1029, 1413A
Xiao, X. W., 355
Xie, C., 1379A
Xiong, Z., 690A, 692A
Xu, M. Q., 1372A
Xu, S., 1427
Xu, Y.-C., 1418A
Xylella fastidiosa
—cultivation, in chemically defined medium, 192
—detection in extracts, PCR and ELISA comparison, 1399A

Yalpani, N., 702
Yang, D., 248A
Yang, S.-M., 953, 1406A
Yang, X. B., 469A, 891, 1358A, 1386A, 1390A, 1394A
Yang, Y., 1360A, 1403A
Yang-Cashman, P., 1382A
Yao, J. M., 1392A
Yarden, O., 1478
Ye, X. S., 906
Yepes, L. M., 1155
Yokomi, R. K., 1373A
Yong, G., 1339A
Yoshida, S., 542
You, L., 887A
Yount, P., 467A, 1423A
Yuen, G. Y., 1385A, 1397A, 1410A

Zehnder, G. W., 1396A
Zehr, E. I., 1240, 1409A
Zeigler, R. S., 1427
Zeng, S., 1051
Zentz, W. R., 630
Zerbini, F. M., Jr., 1356A, 1420A
Zeringue, H. J., Jr., 1415A
Zettler, F. W., 1392A
Zeyen, R. J., 1382A
Zhang, D., 1355A
Zhang, F. R., 1373A
Zhang, J., 1380A
Zhang, J. H., 1380A
Zhang, J.-H., 1383A
Zhang, L., 1349A, 1424A
Zhang, P. G., 248A
Zhang, W., 371, 1288
Zhang, Y., 1383A
Zhang, Y.-L., 469A
Zhang, Y. P., 249A, 1359A
Zheng, X., 887A, 1339A
Zhou, T., 872, 1347A
Zhu, X. M., 1425A
Zies, D., 1360A
Zimmerman, K. K., 697A
Zitter, T. A., 1344A, 1393A
Zook, M., 1382A
Zouba, A., 1351A
Zuck, P. D., 1399A
Zummo, N., 1355A
Zumoff, C. H., 1342A
Zuniga, T. L., 1344A
Zunke, U., 1336A